








8 R..

8.1 R(X).. AM.. [Nm]



50392AXX


8.1.1 RX57


$n_e = 1400$ 1/min						69 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	63	71	80	AM			
									90	100	112	132S/M
RX57 1	1.30	1075	63	132	-							
	1.48	946	68	112	-							
	1.65	848	69	430	-							
	1.92	729	69	880	-							
	2.04	686	69	1070	-							
	2.37	591	69	1500	-							
	2.64	530	69	1810	-							
	2.91	481	67	2170	-							
	3.14	446	65	2320	-							
	3.55	394	69	2420	-							
	3.79	369	69	2480	-							
	4.35	322	68	2640	-							
	5.07	276	36	3030	-							
5.50	255	39	3100	-								

m [kg]			AM						
IEC		s	63	71	80	90	100	112	132S/M
	RX57	1	12	13	15	15	20	20	27
NEMA			-	56	143	145	182	184	213/215
	RX57	1	-	13	15	15	19	19	24
RFX: + 1.9 kg									

8.1.2 RX67

$n_e = 1400$ 1/min						134 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	63	71	80	AM			
									90	100	112	132S/M
RX67 1	1.40	1000	104	205	-							
	1.61	870	114	245	-							
	1.86	753	126	225	-							
	2.04	686	134	230	-							
	2.40	583	123	1530	-							
	2.54	551	118	2000	-							
	2.89	484	106	2640	-							
	3.20	438	100	2800	-							
	3.77	371	87	3090	-							
	4.30	326	80	3300	-							
	4.53	309	82	3350	-							
	5.18	270	75	3580	-							
	6.07	231	43	4000	-							

m [kg]			AM						
IEC		s	63	71	80	90	100	112	132S/M
	RX67	1	15	15	17	17	22	22	29
NEMA			-	56	143	145	182	184	213/215
	RX67	1	-	16	17	17	21	21	27
RFX: + 4.0 kg									



8.1.3 RX77

$n_e = 1400$ 1/min						215 Nm							
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM							
						63	71	80	90	100	112	132S/M	132ML
RX77 1	1.42	986	155	315	-								
	1.67	838	173	315	-								
	1.88	745	187	335	-								
	2.13	657	200	435	-								
	2.43	576	215	510	-								
	2.70	519	215	1110	-								
	3.08	455	193	2560	-								
	3.25	431	182	3200	-								
	3.70	378	153	4290	-								
	4.04	347	143	4500	-								
	4.73	296	123	4900	-								
	5.35	262	103	5240	-								
	5.63	249	110	5300	-								
	6.41	218	103	5600	-								
	7.47	187	53	6200	-								
8.00	175	57	6330	-									

m [kg]			AM							
IEC	s		63	71	80	90	100	112	132S/M	132ML
RX77		1	25	25	27	27	32	32	39	39
NEMA			-	56	143	145	182	184	213/215	-
RX77		1	-	25	27	27	31	31	37	-


RXF: + 2.3 kg

8.1.4 RX87

$n_e = 1400$ 1/min						405 Nm							
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM							
						80	90	100	112	132S/M	132ML	160	180
RX87 1	1.39	1005	290	74	-								
	1.60	875	315	74	-								
	1.93	725	355	185	-								
	2.15	651	385	42	-								
	2.48	565	405	470	-								
	2.76	507	405	1200	-								
	3.09	453	405	1950	-								
	3.48	402	405	2730	-								
	3.78	370	305	5030	-								
	4.50	311	290	5500	-								
	5.07	276	250	5980	-								
	5.56	252	225	6320	-								
	6.45	217	192	6850	-								
	7.20	194	140	7380	-								
	7.63	183	149	7490	-								
8.65	162	139	7890	-									

m [kg]			AM							
IEC	s		80	90	100	112	132S/M	132ML	160	180
RX87		1	43	43	48	48	56	56	72	72
NEMA			143	145	182	184	213/215	-	254/256	284/286
RX87		1	43	43	47	47	54	-	67	69

RXF: + 5.0 kg



8.1.5 RX97

$n_e = 1400$ 1/min						595 Nm								
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM								
						100	112	132S/M	132ML	160	180	200	225	
RX97 1	1.42	986	455	132	-									
	1.64	854	505	51	-									
	1.96	714	570	19	-									
	2.24	625	595	495	-									
	2.64	530	595	1980	-									
	2.92	479	595	2810	-									
	3.30	424	595	3730	-									
	3.64	385	595	4530	-									
	4.04	347	595	5380	-									
	4.52	310	595	6180	-									
	4.91	285	395	7220	-									
	5.79	242	420	7630	-									
	6.56	213	300	8500	-									
	7.16	196	260	8950	-									
8.23	170	225	9560	-										

m [kg]			AM							
IEC	s		100	112	132S/M	132ML	160	180	200	225
RX97	1		73	73	79	79	97	97	115	120
NEMA			182	184	213/215	-	254/256	284/286	324/326	364/365
RX97	1		72	72	77	-	92	94	110	110


RXF: + 8.6 kg

8.1.6 RX107

$n_e = 1400$ 1/min						830 Nm								
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM								
						100	112	132S/M	132ML	160	180	200	225	
RX107 1	1.44	972	645	315	-									
	1.71	819	705	480	-									
	1.95	718	765	555	-									
	2.30	609	830	900	-									
	2.64	530	830	2160	-									
	3.07	456	830	3600	-									
	3.38	414	830	4490	-									
	3.81	367	830	5550	-									
	4.20	333	830	6420	-									
	4.65	301	695	7450	-									
	5.19	270	695	7850	-									
	5.61	250	455	9080	-									
	6.63	211	460	9700	-									

m [kg]			AM							
IEC	s		100	112	132S/M	132ML	160	180	200	225
RX107	1		105	105	110	110	130	130	145	150
NEMA			182	184	213/215	-	254/256	284/286	324/326	364/365
RX107	1		105	105	105	-	125	125	145	145

RXF: + 16.8 kg





8.1.7 R27





$n_e = 1400$ 1/min						130 Nm			
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM			
						63	71	80	90
R27 2	3.37	415	79	900	-				
	4.00	350	85	900	-				
	4.27	328	87	920	-				
	5.00	280	95	860	-				
	5.60	250	99	880	-				
	6.59	212	106	880	-				
	7.63	183	112	900	-				
	8.16	172	116	870	-				
	9.41	149	122	900	-				
	10.13	138	122	1890	-				
	11.86	118	129	1980	-				
	13.28	105	130	2140	-				
	15.63	90	130	2290	-				
	18.08	77	130	2440	-				
	19.35	72	130	2510	-				
	22.32	63	130	2660	-				
	26.09	54	130	2840	-				
	28.37	49	130	2940	-				
R27 3	24.47	57	130	2760	-				
	28.78	49	130	2950	-				
	32.47	43	130	3100	-				
	36.79	38	130	3260	-				
	39.25	36	130	3350	-				
	44.90	31	130	3530	-				
	48.17	29	130	3630	-				
	55.87	25	130	3840	-				
	61.30	23	130	3980	-				
	69.47	20	130	4180	-				
	74.11	19	130	4230	-				
	84.78	17	130	4230	-				
	90.96	15	130	4230	-				
	105.49	13	130	4230	-				
	123.91	11	130	4230	-				
135.09	10	130	4230	-					

IEC	m [kg]		AM			
		s	63	71	80	90
	R27	2	6.2	6.5	8.9	8.9
	R27	3	6.5	6.7	9.1	9.2
NEMA			-	56	143	145
	R27	2	-	6.8	8.9	8.9
	R27	3	-	7.1	9.1	9.2


RF: + -0.1 kg


8.1.8 R37

$n_e = 1400$ 1/min						200 Nm			
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM			
						63	71	80	90
R37 	3.41	411	112	900	14				
	4.05	346	122	840	13				
	4.32	324	126	820	13				
	5.06	277	135	790	13				
	5.67	247	142	760	12				
	6.67	210	144	1000	12				
	7.97	176	156	1720	8				
	9.47	148	167	1760	8				
	10.11	138	170	1820	8				
	11.83	118	183	1810	8				
	13.25	106	190	1880	8				
	15.60	90	200	2010	8				
	18.05	78	200	2390	8				
	19.31	73	200	2570	7				
	22.27	63	200	2970	7				
	26.03	54	185	3860	7				
28.32	49	200	3690	7					
24.42	57	200	3240	9					
28.73	49	200	3740	9					
32.40	43	200	4120	9					
36.72	38	200	4540	9					
39.17	36	200	4760	9					
44.81	31	200	4940	9					
48.08	29	200	4940	9					
55.76	25	200	4940	9					
61.18	23	200	4940	8					
69.33	20	200	4940	8					
73.96	19	200	4940	8					
84.61	17	200	4940	8					
90.77	15	200	4940	8					
105.28	13	200	4940	8					
123.66	11	200	4940	8					
134.82	10	200	4940	8					

m [kg]		AM			
IEC	s	63	71	80	90
R37		12	12	15	15
R37		12	13	15	15
NEMA		-	56	143	145
R37		-	13	15	15
R37		-	13	15	15

RF: + 1.5 kg




8.1.9 R47



$n_e = 1400$ 1/min						300 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	ϕ (/R) [']	63	71	80	AM 90	100	112	132S/M
R47 2	3.83	366	144	2080	11							
	4.34	323	146	2190	11							
	4.85	289	150	2280	10							
	5.64	248	155	2410	10							
	6.00	233	156	2470	10							
	6.96	201	159	2620	10							
	7.76	180	163	2720	10							
	8.01	175	205	2690	8							
	9.07	154	220	2780	8							
	10.15	138	230	2880	7							
	11.79	119	245	3020	7							
	12.54	112	250	3080	7							
	14.56	96	265	3230	7							
	16.22	86	275	3350	7							
	17.89	78	290	3390	7							
	19.27	73	295	3530	7							
	21.81	64	300	3710	7							
	23.28	60	300	3820	7							
26.74	52	300	4050	7								
31.12	45	220	4610	7								
33.79	41	240	4680	7								
R47 3	23.59	59	300	3840	8							
	26.70	52	300	4050	8							
	29.88	47	300	4240	8							
	34.73	40	300	4520	8							
	36.93	38	300	4630	8							
	42.87	33	300	4930	8							
	47.75	29	300	5140	8							
	52.69	27	300	5350	8							
	56.73	25	300	5420	8							
	64.21	22	300	5420	8							
	68.54	20	300	5420	8							
	76.23	18	300	5420	7							
	84.90	16	300	5420	7							
	93.68	15	300	5420	7							
	100.86	14	300	5420	7							
	114.17	12	300	5420	7							
	121.87	11	300	5420	7							
	139.99	10	300	5420	7							
162.94	8.6	300	5420	7								
176.88	7.9	300	5420	7								





m [kg]		AM						
IEC	s	63	71	80	90	100	112	132S/M
R47		16	16	18	19	23	23	30
R47		17	17	19	19	24	24	31
NEMA		-	56	143	145	182	184	213/215
R47		-	17	18	19	22	22	28
R47		-	17	19	19	23	23	28

RF: + 0.1 kg




8.1.10 R57


$n_e = 1400$ 1/min						450 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	63	71	80	AM 90	100	112	132S/M
R57  2	4.39	319	280	1900	10							
	5.05	277	305	1730	10							
	5.82	241	320	1820	10							
	6.41	218	335	1770	9							
	7.53	186	350	1950	9							
	7.97	176	355	2020	9							
	9.06	155	375	2010	9							
	9.35	150	370	3180	7							
	10.79	130	390	3330	7							
	11.88	118	405	3430	7							
	13.95	100	430	3610	7							
	14.77	95	435	3690	7							
	16.79	83	450	3860	7							
	18.60	75	450	4050	7							
	21.93	64	450	4370	7							
	24.99	56	450	4640	6							
	26.31	53	450	4750	6							
26.97	52	450	4800	8								
30.18	46	450	5040	8								
35.07	40	450	5390	8								
37.30	38	450	5530	8								
43.30	32	450	5900	8								
48.23	29	450	6170	8								
53.22	26	450	6430	8								
57.29	24	450	6630	8								
64.85	22	450	6980	8								
69.23	20	450	7100	7								
80.55	17	450	7100	7								
89.71	16	450	7100	7								
98.99	14	450	7100	7								
106.58	13	450	7100	7								
120.63	12	450	7100	7								
128.77	11	450	7100	7								
147.92	9.5	450	7100	7								
172.17	8.1	450	7100	7								
186.89	7.5	450	7100	7								
R57  3												





IEC	m [kg]		63	71	80	AM			
		s				90	100	112	132S/M
	R57	 2	21	21	23	23	28	28	35
	R57	 3	22	22	24	24	29	29	36
NEMA			-	56	143	145	182	184	213/215
	R57	 2	-	22	23	23	27	27	33
	R57	 3	-	22	24	24	28	28	34

RF: + 3.4 kg / RM: + 15.4 kg




8.1.11 R67

$n_e = 1400$ 1/min						600 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	ϕ (/R) [']	63	71	80	AM 90	100	112	132S/M
R67 	4.29	326	270	5000	10							
	4.93	284	290	5210	9							
	5.70	246	310	5450	9							
	6.27	223	330	5590	9							
	7.36	190	370	5790	8							
	7.79	180	380	5830	8							
	8.70	161	440	5960	7							
	10.00	140	470	6220	7							
	11.54	121	500	6500	7							
	12.70	110	520	6640	6							
	14.91	94	550	6980	6							
	15.79	89	560	7130	6							
	17.95	78	590	7330	6							
	19.89	70	600	7560	6							
	23.44	60	560	8010	6							
	26.72	52	540	8210	6							
28.13	50	540	8210	6								
28.83	49	520	8400	7								
32.27	43	540	8210	7								
37.50	37	570	7900	7								
39.88	35	580	7790	7								
46.29	30	600	7560	7								
51.56	27	600	7560	7								
56.89	25	600	7560	7								
61.26	23	600	7560	7								
69.75	20	600	7560	7								
74.17	19	600	7560	7								
86.11	16	600	7560	6								
95.91	15	600	7560	6								
105.83	13	600	7560	6								
113.94	12	600	7560	6								
128.97	11	600	7560	6								
137.67	10	600	7560	6								
158.14	8.9	600	7560	6								
184.07	7.6	600	7560	6								
199.81	7.0	600	7560	6								

m [kg]		AM						
IEC	s	63	71	80	90	100	112	132S/M
R67		28	28	30	30	35	35	42
R67		28	29	31	31	36	36	43
NEMA		-	56	143	145	182	184	213/215
R67		-	28	30	30	34	34	39
R67		-	29	31	31	35	35	40

RF: + 3.2 kg / RM: + 19.0 kg




8.1.12 R77

$n_e = 1400$ 1/min						820 Nm							
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM							
						63	71	80	90	100	112	132S/M	132ML
R77 2	5.31	264	510	3990	8								
	5.99	234	540	3990	8								
	6.79	206	580	3850	8								
	7.74	181	610	3940	8								
	8.59	163	630	4110	7								
	9.64	145	630	6300	7								
	10.88	129	660	6490	6								
	12.33	114	690	6740	6								
	14.05	100	720	7050	6								
	15.60	90	740	7390	6								
	17.82	79	780	7620	6								
	18.80	74	780	7980	6								
	21.43	65	820	8250	6								
	23.37	60	820	8870	6								
R77 3	25.23	55	780	10100	7								
	29.00	48	820	9920	7								
	33.47	42	820	9920	7								
	36.83	38	820	9920	7								
	43.26	32	820	9920	7								
	45.81	31	820	9920	7								
	52.07	27	820	9920	7								
	57.68	24	820	9920	7								
	65.77	21	820	9920	7								
	77.24	18	820	9920	6								
	81.80	17	820	9920	6								
	92.97	15	820	9920	6								
	102.99	14	820	9920	6								
	121.42	12	820	9920	6								
	138.39	10	820	9920	6								
	145.67	9.6	820	9920	6								
166.59	8.4	820	9920	6									
195.24	7.2	820	9920	6									

m [kg]		AM								
IEC	s	63	71	80	90	100	112	132S/M	132ML	
R77		33	34	36	36	40	40	47	47	
R77		34	35	37	37	41	41	48	48	
NEMA		-	56	143	145	182	184	213/215	-	
R77		-	34	36	36	39	39	45	-	
R77		-	35	37	37	40	40	46	-	

RF: + 5.7 kg / RM: + 30.7 kg




8.1.13 R87

$n_e = 1400$ 1/min						1550 Nm								
	i	n_a [1/min]	$M_{a \max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM								
						80	90	100	112	132S/M	132ML	160	180	
R87 2	5.30	264	910	8980	7									
	6.39	219	1020	9450	7									
	7.13	196	1070	9780	7									
	8.22	170	1160	10200	7									
	9.14	153	1210	10500	6									
	9.90	141	1180	10400	6									
	11.93	117	1230	11200	6									
	13.33	105	1280	11600	6									
	15.35	91	1340	12100	6									
	17.08	82	1390	12600	6									
	19.10	73	1440	13000	6									
	21.51	65	1500	13600	6									
	23.40	60	1550	13900	6									
	27.84	50	1550	15000	6									
	31.40	45	1550	7820	5									
34.40	41	1500	9480	5										
R87 3	27.88	50	1500	15100	7									
	32.66	43	1550	16000	7									
	36.84	38	1550	16800	7									
	41.74	34	1550	16900	7									
	47.58	29	1550	16900	7									
	52.82	27	1550	13500	6									
	60.35	23	1550	15200	6									
	63.68	22	1550	15800	6									
	72.57	19	1550	16900	6									
	81.92	17	1550	16900	6									
	93.38	15	1550	16900	6									
	103.65	14	1550	16900	6									
	118.43	12	1550	16900	6									
	124.97	11	1550	16900	6									
	142.41	9.8	1550	16900	6									
	155.34	9.0	1550	16900	6									
	181.77	7.7	1550	16900	6									
205.71	6.8	1550	16900	6										
216.54	6.5	1550	16900	6										
246.54	5.7	1550	16900	6										

IEC	m [kg]		AM							
		s	80	90	100	112	132S/M	132ML	160	180
	R87	2	62	62	67	67	74	74	90	90
	R87	3	63	63	68	68	76	76	92	92
NEMA			143	145	182	184	213/215	-	254/256	284/286
	R87	2	62	62	66	66	72	-	85	88
	R87	3	63	63	67	67	74	-	87	89

RF: + 7.1 kg / RM: + 36.8 kg




8.1.14 R97

$n_e = 1400$ 1/min						3000 Nm								
i	n_a [1/min]	$M_{a \max}$ [Nm]	F_{Ra} [N]	φ (R) [']	AM									
					100	112	132S/M	132ML	160	180	200	225		
R97 2	4.50	311	1630	9500	6									
	5.20	269	1780	9850	6									
	6.21	225	1890	10500	6									
	7.12	197	2000	10900	6									
	8.39	167	2030	11700	6									
	9.29	151	2030	12200	6									
	10.83	129	2090	12100	6									
	12.39	113	2190	12700	6									
	14.62	96	2300	13400	6									
	16.17	87	2400	13800	6									
	18.24	77	2500	14400	6									
	20.14	70	2610	14800	5									
	22.37	63	2720	15300	5									
	25.03	56	2830	15900	5									
	27.19	51	2560	8380	5									
32.05	44	2560	10600	5										
27.58	51	2670	16900	6										
33.25	42	2890	17900	6										
37.13	38	3000	18600	6										
42.78	33	3000	19800	6										
47.58	29	3000	19800	6										
53.21	26	3000	19800	6										
59.92	23	3000	19800	6										
65.21	21	3000	19800	6										
72.17	19	3000	18000	6										
83.15	17	3000	19800	6										
92.48	15	3000	19800	6										
103.44	14	3000	19800	6										
116.48	12	3000	19800	6										
126.75	11	3000	19800	6										
150.78	9.3	3000	19800	6										
170.02	8.2	3000	19800	6										
186.30	7.5	3000	19800	6										
216.28	6.5	3000	19800	6										
241.25	5.8	3000	19800	6										
255.71	5.5	3000	19800	6										
289.74	4.8	3000	19800	6										

IEC	m [kg]		AM							
		s	100	112	132S/M	132ML	160	180	200	225
R97		2	105	105	115	115	130	130	145	150
R97		3	110	110	115	115	135	135	150	155
NEMA			182	184	213/215	-	254/256	284/286	324/326	364/365
R97		2	105	105	110	-	125	130	145	145
R97		3	110	110	115	-	130	130	150	150

RF: + 17.2 kg / RM: + 68.5 kg




8.1.15 R107

$n_e = 1400$ 1/min						4300 Nm								
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	ϕ (R) [']	AM								
						100	112	132S/M	132ML	160	180	200	225	
R107 2	4.92	285	2900	11300	9									
	5.82	241	2970	12100	9									
	6.66	210	2970	12800	9									
	7.86	178	2970	13800	9									
	8.56	164	4300	11300	7									
	10.13	138	4300	12400	7									
	11.59	121	4300	13300	7									
	13.66	102	4300	14400	7									
	15.65	89	4300	15400	7									
	18.21	77	4300	16600	7									
	20.07	70	4300	17300	7									
	22.62	62	4300	18300	7									
	24.90	56	4300	19200	7									
	27.58	51	4300	20100	7									
	30.77	45	4300	21100	7									
29.49	47	4300	20700	7										
35.26	40	4300	22400	7										
40.37	35	4300	23800	7										
47.63	29	4300	25500	7										
52.68	27	4300	26600	7										
59.41	24	4300	28000	7										
65.60	21	4300	29200	7										
72.88	19	4300	29500	7										
78.57	18	4300	29500	7										
92.70	15	4300	29500	7										
102.53	14	4300	29500	7										
115.63	12	4300	29500	7										
127.68	11	4300	29500	7										
141.83	9.9	4300	29500	7										
158.68	8.8	4300	29500	7										
172.34	8.1	4300	29500	7										
203.16	6.9	4300	29500	7										
229.95	6.1	4300	29500	7										
251.15	5.6	4300	29500	7										

8


IEC	m [kg]		AM							
		s	100	112	132S/M	132ML	160	180	200	225
	R107	2	160	160	165	165	185	185	200	205
	R107	3	170	170	170	170	190	190	205	210
NEMA			182	184	213/215	-	254/256	284/286	324/326	364/365
	R107	2	160	160	160	-	180	180	200	200
	R107	3	165	165	170	-	185	185	205	205

RF: + 6.0 kg / RM: + 94.0 kg




8.1.16 R137





$n_e = 1400$ 1/min						8000 Nm					
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM					
						132S/M	132ML	160	180	200	225
R137 2	5.15	272	4600	34500	8						
	6.38	219	5110	35900	8						
	7.59	184	5110	39000	8						
	8.71	161	7840	27600	6						
	10.79	130	8000	31100	6						
	12.83	109	8000	34700	6						
	14.51	96	8000	37300	6						
	16.80	83	8000	40600	6						
	19.04	74	8000	43500	6						
	22.00	64	8000	47100	6						
	24.12	58	8000	49400	6						
	29.57	47	7780	53900	6						
R137 3	27.83	50	7680	54100	6						
	32.91	43	8000	53400	6						
	37.65	37	8000	53400	6						
	44.39	32	8000	53400	6						
	50.86	28	8000	53400	6						
	59.17	24	8000	53400	6						
	65.20	21	8000	53400	6						
	73.49	19	8000	53400	6						
	80.91	17	8000	53400	6						
	88.70	16	8000	53400	6						
	103.20	14	8000	53400	6						
	113.72	12	8000	53400	6						
	128.18	11	8000	53400	6						
	141.12	9.9	8000	53400	6						
	156.31	9.0	8000	53400	6						
	174.40	8.0	8000	53400	6						
188.45	7.4	8000	53400	6							
222.60	6.3	8000	53400	6							

IEC	m [kg]		AM					
	s		132S/M	132ML	160	180	200	225
	R137	2	245	245	265	265	280	285
	R137	3	255	255	275	275	290	295
NEMA			213/215	-	254/256	284/286	324/326	364/365
	R137	2	245	-	260	260	280	280
	R137	3	255	-	270	270	290	290
RF: + 23.3 kg / RM: + 134.4 kg								




8.1.17 R147



$n_e = 1400$ 1/min						13000 Nm						
	i	n_a [1/min]	$M_{a\ max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	132ML	160	180	AM 200	225	250	280
R147  2	5.00	280	8670	49300	8							
	5.89	238	8670	53200	8							
	7.25	193	8670	58400	8							
	8.26	169	13000	49900	6							
	9.74	144	13000	54400	6							
	11.99	117	13000	60400	5							
	13.91	101	12600	63400	5							
	15.64	90	13000	62700	5							
	18.04	78	10500	67000	5							
	20.44	68	12000	64600	5							
R147  3	24.19	58	11900	64700	6							
	29.95	47	13000	62700	6							
	35.64	39	13000	62700	6							
	40.29	35	13000	62700	6							
	46.65	30	13000	62700	6							
	52.87	26	13000	62700	6							
	61.09	23	13000	62700	6							
	66.99	21	13000	62700	6							
	72.09	19	13000	62700	6							
	83.47	17	13000	62700	6							
	94.60	15	13000	62700	6							
	109.31	13	13000	62700	5							
	119.86	12	13000	62700	5							
	146.91	9.5	13000	62700	5							
	163.31	8.6	13000	62700	5							





m [kg]		s	132ML	160	180	AM 200	225	250	280
IEC	R147		380	390	390	405	410	445	445
	R147		390	405	405	420	425	455	455
NEMA			-	254/256	284/286	324/326	364/365	-	-
	R147		-	385	390	405	405	-	-
	R147		-	400	400	415	415	-	-

RF: + 8.3 kg / RM: + 175.7 kg




8.1.18 R167


$n_e = 1400$ 1/min						18000 Nm					
	i	n_a [1/min]	$M_{a \max}$ [Nm]	F_{Ra} [N]	φ (/R) [']	AM					
						160	180	200	225	250	280
R167  2	10.24	137	17000	82500	5						
	11.99	117	17000	88700	5						
	14.48	97	18000	93800	5						
	16.98	82	15000	108900	5						
	19.03	74	16000	111400	5						
	21.85	64	13000	120000	5						
	24.57	57	14000	120000	5						
	30.71	46	10000	120000	5						
	37.74	37	9000	120000	5						
	46.00	30	7000	120000	5						
R167  3	23.71	59	18000	116500	6						
	27.96	50	18000	120000	6						
	34.41	41	18000	120000	6						
	39.92	35	18000	120000	6						
	44.87	31	18000	120000	6						
	51.76	27	18000	120000	6						
	58.65	24	18000	120000	6						
	67.40	21	18000	120000	6						
	73.70	19	18000	120000	6						
	82.91	17	18000	120000	5						
	93.19	15	18000	120000	5						
	107.49	13	18000	120000	5						
	121.81	11	18000	120000	5						
	139.98	10	18000	120000	5						
	153.07	9.1	18000	120000	5						
	186.93	7.5	18000	120000	5						
229.71	6.1	18000	120000	5							

IEC	m [kg]		AM					
		s	160	180	200	225	250	280
	R167		650	650	670	670	700	700
	R167		650	650	670	680	700	700
NEMA			254/256	284/286	324/326	364/365	-	-
	R167		640	640	660	660	-	-
	R167		650	650	670	670	-	-


RF: + 6.4 kg / RM: + 201.8 kg



8.2 R.. AT.. [Nm]




R.. AT..




RF.. AT.. /BM(G)


8




R..F AT..



RM.. AT.. /BM(G)












RX.. AT..












RXF.. AT.. /BM(G)


50396AXX


8.2.1 R..AT/ DRS..4









			P_m [kW]				S_n [%]	
R67	DRS71S4		0,37	AT311	T11	0,42	12	
	DRS71M4		0,55	AT312	T11D	0,55	11	
	DRS80S4		0,75	AT312	T11D	0,7	11	
	DRS80M4		1,1	AT312	T11D	0,72	15	
	DRS90M4		1,5	AT321	T21	0,85	9	
	DRS90L4		2,2	AT321	T21	0,9	13	
	DRS100M4		3	AT322	T21D	1,53	11	
	DRS100LC4		4	AT322	T21D	1,6	12	
R77	DRS71S4		0,37	AT311	T11	0,42	12	
	DRS71M4		0,55	AT312	T11D	0,55	11	
	DRS80S4		0,75	AT312	T11D	0,7	11	
	DRS80M4		1,1	AT312	T11D	0,72	15	
	DRS90M4		1,5	AT421	T21	0,85	9	
	DRS90L4		2,2	AT421	T21	0,9	13	
	DRS100M4		3	AT422	T21D	1,53	11	→  214ff
	DRS100LC4		4	AT422	T21D	1,6	12	→  217ff
	DRS112M4		4	AT422	T21D	1,6	12	
R87	DRS80M4		1,1	AT312	T11D	0,72	15	
	DRS90M4		1,5	AT421	T21	0,85	9	
	DRS90L4		2,2	AT421	T21	0,9	13	
	DRS100M4		3	AT422	T21D	1,53	11	
	DRS100LC4		4	AT422	T21D	1,6	12	
	DRS112M4		4	AT422	T21D	1,6	12	
	DRS132S4		5,5	AT541	T41	2	6	
	DRS132M4		7,5	AT541	T41	2,4	8	
	DRS132MC4		9,2	AT541	T41	2,5	10	
	DRS160S4		9,2	AT541	T41	2,5	10	
	DRS160M4		11	AT541	T41	2,5	13	
	DRS160MC4		15	AT542	T41D	4,2	8	
	DRS180S4		15	AT542	T41D	4,2	8	











			P_m [kW]				S_n [%]	
R97	DRS80M4		1.1	AT312	T11D	0.72	15	
	DRS90M4		1.5	AT421	T21	0.85	9	
	DRS90L4		2.2	AT421	T21	0.9	13	
	DRS100M4		3	AT422	T21D	1.53	11	
	DRS100LC4		4	AT422	T21D	1.6	12	
	DRS112M4		4	AT422	T21D	1.6	12	
	DRS132S4		5.5	AT541	T41	2	6	
	DRS132M4		7.5	AT541	T41	2.4	8	
	DRS132MC4		9.2	AT541	T41	2.5	10	
	DRS160S4		9.2	AT541	T41	2.5	10	
	DRS160M4		11	AT541	T41	2.5	13	
	DRS160MC4		15	AT542	T41D	4.2	8	
	DRS180S4		15	AT542	T41D	4.2	8	
	DRS180M4		18.5	AT542	T41D	4.3	10	
DRS180L4		22	AT542	T41D	4.3	14		
R107	DRS90L4		2.2	AT421	T21	0.9	13	
	DRS100M4		3	AT422	T21D	1.53	11	
	DRS100LC4		4	AT422	T21D	1.6	12	
	DRS112M4		4	AT422	T21D	1.6	12	
	DRS132S4		5.5	AT541	T41	2	6	→  214ff
	DRS132M4		7.5	AT541	T41	2.4	8	
	DRS132MC4		9.2	AT541	T41	2.5	10	→  217ff
	DRS160S4		9.2	AT541	T41	2.5	10	
	DRS160M4		11	AT541	T41	2.5	13	
	DRS160MC4		15	AT542	T41D	4.2	8	
	DRS180S4		15	AT542	T41D	4.2	8	
	DRS180M4		18.5	AT542	T41D	4.3	10	
DRS180L4		22	AT542	T41D	4.3	14		
R137	DRS90L4		2.2	AT421	T21	0.9	13	
	DRS100M4		3	AT422	T21D	1.53	11	
	DRS100LC4		4	AT422	T21D	1.6	12	
	DRS112M4		4	AT422	T21D	1.6	12	
	DRS132S4		5.5	AT541	T41	2	6	
	DRS132M4		7.5	AT541	T41	2.4	8	
	DRS132MC4		9.2	AT541	T41	2.5	10	
	DRS160S4		9.2	AT541	T41	2.5	10	
	DRS160M4		11	AT541	T41	2.5	13	
	DRS160MC4		15	AT542	T41D	4.2	8	
	DRS180S4		15	AT542	T41D	4.2	8	
	DRS180M4		18.5	AT542	T41D	4.3	10	
DRS180L4		22	AT542	T41D	4.3	14		












R..
R.. AT.. [Nm]


			P_m [kW]				S_n [%]	
R147	DRS132M4		7.5	AT541	T41	2.4	8	
	DRS132MC4		9.2	AT541	T41	2.5	10	
	DRS160S4		9.2	AT541	T41	2.5	10	
	DRS160M4		11	AT541	T41	2.5	13	
	DRS160MC4		15	AT542	T41D	4.2	8	
	DRS180S4		15	AT542	T41D	4.2	8	→  214ff
	DRS180M4		18.5	AT542	T41D	4.3	10	
	DRS180L4		22	AT542	T41D	4.3	14	→  217ff
R167	DRS160M4		11	AT541	T41	2.5	13	
	DRS160MC4		15	AT542	T41D	4.2	8	
	DRS180S4		15	AT542	T41D	4.2	8	
	DRS180M4		18.5	AT542	T41D	4.3	10	
	DRS180L		22	AT542	T41D	4.3	14	

8.2.2 R..AT/ DRE..4









			P_m [kW]				S_n [%]	
R67	DRE80M4		0.75	AT312	T11D	0.7	11	
	DRE90M4		1.1	AT312	T11D	0.72	15	
	DRE90L4		1.5	AT321	T21	0.85	9	
	DRE100M4		2.2	AT321	T21	0.9	13	
	DRE100LC4		3	AT322	T21D	1.53	11	
R77	DRE80M4		0.75	AT312	T11D	0.7	11	
	DRE90M4		1.1	AT312	T11D	0.72	15	
	DRE90L4		1.5	AT421	T21	0.85	9	
	DRE100M4		2.2	AT421	T21	0.9	13	
	DRE100LC4		3	AT422	T21D	1.53	11	
	DRE112M4		3	AT422	T21D	1.53	11	
	DRE132S4		4	AT422	T21D	1.6	12	→  214ff
R87	DRE90M4		1.1	AT312	T11D	0.72	15	→  217ff
	DRE90L4		1.5	AT421	T21	0.85	9	
	DRE100M4		2.2	AT421	T21	0.9	13	
	DRE100LC4		3	AT422	T21D	1.53	11	
	DRE112M4		3	AT422	T21D	1.53	11	
	DRE132S4		4	AT422	T21D	1.6	12	
	DRE132M4		5.5	AT541	T41	2	6	
	DRE132MC4		7.5	AT541	T41	2.4	8	
	DRE160M4		9.2	AT541	T41	2.5	10	
	DRE160MC4		11	AT541	T41	2.5	13	
DRE180S4		11	AT541	T41	2.5	13		
DRE180M4		15	AT542	T41D	4.2	8		












				P_m [kW]				S_n [%]	
R97	DRE90M4			1.1	AT312	T11D	0.72	15	
	DRE90L4			1.5	AT421	T21	0.85	9	
	DRE100M4			2.2	AT421	T21	0.9	13	
	DRE100LC4			3	AT422	T21D	1.53	11	
	DRE112M4			3	AT422	T21D	1.53	11	
	DRE132S4			4	AT422	T21D	1.6	12	
	DRE132M4			5.5	AT541	T41	2	6	
	DRE132MC4			7.5	AT541	T41	2.4	8	
	DRE160M4			9.2	AT541	T41	2.5	10	
	DRE160MC4			11	AT541	T41	2.5	13	
	DRE180S4			11	AT541	T41	2.5	13	
	DRE180M4			15	AT542	T41D	4.2	8	
	DRE180L4			18.5	AT542	T41D	4.3	10	
R107	DRE100M4			2.2	AT421	T21	0.9	13	
	DRE100LC4			3	AT422	T21D	1.53	11	
	DRE112M4			3	AT422	T21D	1.53	11	
	DRE132S4			4	AT422	T21D	1.6	12	
	DRE132M4			5.5	AT541	T41	2	6	
	DRE132MC4			7.5	AT541	T41	2.4	8	
	DRE160M4			9.2	AT541	T41	2.5	10	
	DRE160MC4			11	AT541	T41	2.5	13	
	DRE180S4			11	AT541	T41	2.5	13	→  214ff
	DRE180M4			15	AT542	T41D	4.2	8	→  217ff
DRE180L4			18.5	AT542	T41D	4.3	10		
R137	DRE100M4			2.2	AT421	T21	0.9	13	
	DRE100LC4			3	AT422	T21D	1.53	11	
	DRE112M4			3	AT422	T21D	1.53	11	
	DRE132S4			4	AT422	T21D	1.6	12	
	DRE132M4			5.5	AT541	T41	2	6	
	DRE132MC4			7.5	AT541	T41	2.4	8	
	DRE160M4			9.2	AT541	T41	2.5	10	
	DRE160MC4			11	AT541	T41	2.5	13	
	DRE180S44			11	AT541	T41	2.5	13	
	DRE180M4			15	AT542	T41D	4.2	8	
	DRE180L4			18.5	AT542	T41D	4.3	10	
R147	DRE132MC4			7.5	AT541	T41	2.4	8	
	DRE160M4			9.2	AT541	T41	2.5	10	
	DRE160MC4			11	AT541	T41	2.5	13	
	DRE180S4			11	AT541	T41	2.5	13	
	DRE180M4			15	AT542	T41D	4.2	8	
	DRE180L4			18.5	AT542	T41D	4.3	10	
R167	DRE160MC4			11	AT541	T41	2.5	13	
	DRE180S4			11	AT541	T41	2.5	13	
	DRE180M4			15	AT542	T41D	4.2	8	
	DRE180L4			18.5	AT542	T41D	4.3	10	













8.2.3 R..AT/ DRP..4


		P_m [kW]				S_n [%]	
R67	DRP90M4	0.75	AT312	T11D	0.7	11	
	DRP90L4	1.1	AT312	T11D	0.72	15	
	DRP100M4	1.5	AT321	T21	0.85	9	
	DRP100L4	2.2	AT321	T21	0.9	13	
R77	DRP90M4	0.75	AT312	T11D	0.7	11	
	DRP90L4	1.1	AT312	T11D	0.72	15	
	DRP100M4	1.5	AT421	T21	0.85	9	
	DRP100L4	2.2	AT421	T21	0.9	13	
	DRP112M4	3	AT422	T21D	1.53	11	
	DRP132M4	4	AT422	T21D	1.6	12	
R87	DRP90L4	1.1	AT312	T11D	0.72	15	
	DRP100M4	1.5	AT421	T21	0.85	9	
	DRP100L4	2.2	AT421	T21	0.9	13	
	DRP112M4	3	AT422	T21D	1.53	11	
	DRP132M4	4	AT422	T21D	1.6	12	
	DRP132MC4	5.5	AT541	T41	2	6	
	DRP160S4	5.5	AT541	T41	2	6	
	DRP160M4	7.5	AT541	T41	2.4	8	
	DRP160MC4	9.2	AT541	T41	2.5	10	
	DRP180S4	9.2	AT541	T41	2.5	10	
	DRP180M4	11	AT541	T41	2.5	13	
	DRP180L4	15	AT542	T41D	4.2	8	→  214ff
R97	DRP90L4	1.1	AT312	T11D	0.72	15	→  217ff
	DRP100M4	1.5	AT421	T21	0.85	9	
	DRP100L4	2.2	AT421	T21	0.9	13	
	DRP112M4	3	AT422	T21D	1.53	11	
	DRP132M4	4	AT422	T21D	1.6	12	
	DRP132MC4	5.5	AT541	T41	2	6	
	DRP160S4	5.5	AT541	T41	2	6	
	DRP160M4	7.5	AT541	T41	2.4	8	
	DRP160MC4	9.2	AT541	T41	2.5	10	
	DRP180S4	9.2	AT541	T41	2.5	10	
	DRP180M4	11	AT541	T41	2.5	13	
	DRP180L4	15	AT542	T41D	4.2	8	
R107	DRP100L4	2.2	AT421	T21	0.9	13	
	DRP112M4	3	AT422	T21D	1.53	11	
	DRP132M4	4	AT422	T21D	1.6	12	
	DRP132MC4	5.5	AT541	T41	2	6	
	DRP160S4	5.5	AT541	T41	2	6	
	DRP160M4	7.5	AT541	T41	2.4	8	
	DRP160MC4	9.2	AT541	T41	2.5	10	
	DRP180S4	9.2	AT541	T41	2.5	10	
	DRP180M4	11	AT541	T41	2.5	13	
DRP180L4	15	AT542	T41D	4.2	8		











		P_m [kW]				S_n [%]	
R137	DRP100L4	2.2	AT421	T21	0.9	13	→  214ff →  217ff
	DRP112M4	3	AT422	T21D	1.53	11	
	DRP132M4	4	AT422	T21D	1.6	12	
	DRP132MC4	5.5	AT541	T41	2	6	
	DRP160S44	5.5	AT541	T41	2	6	
	DRP160M4	7.5	AT541	T41	2.4	8	
	DRP160MC4	9.2	AT541	T41	2.5	10	
	DRP180S4	9.2	AT541	T41	2.5	10	
	DRP180M4	11	AT541	T41	2.5	13	
	DRP180L4	15	AT542	T41D	4.2	8	
R147	DRP160M4	7.5	AT541	T41	2.4	8	
	DRP160MC4	9.2	AT541	T41	2.5	10	
	DRP180S4	9.2	AT541	T41	2.5	10	
	DRP180M4	11	AT541	T41	2.5	13	
	DRP180L4	15	AT542	T41D	4.2	8	
R167	DRP180M4	11	AT541	T41	2.5	13	
	DRP180L4	15	AT542	T41D	4.2	8	

8.2.4 R..AT/ DRS..2









		P_m [kW]				S_n [%]	
R67	DRS71M2	0.55	AT311	T11	0.19	3	→  214ff →  217ff
	DRS80S2	0.75	AT311	T11	0.22	4.5	
	DRS80M2	1.1	AT311	T11	0.27	6	
	DRS90M2	1.5	AT311	T11	0.29	8.5	
	DRS100M2	3	AT311	T11	0.4	12	
	DRS100LC2	4	AT312	T11D	0.52	10	
R77	DRS71M2	0.55	AT311	T11	0.19	3	→  214ff →  217ff
	DRS80S2	0.75	AT311	T11	0.22	4.5	
	DRS80M2	1.1	AT311	T11	0.27	6	
	DRS90M2	1.5	AT311	T11	0.29	8.5	
	DRS100M2	3	AT311	T11	0.4	12	
	DRS100LC2	4	AT312	T11D	0.52	10	
	DRS132M2	9.2	AT421	T21	0.65	8.5	
R87	DRS90M2	1.5	AT311	T11	0.29	8.5	
	DRS100M2	3	AT311	T11	0.4	12	
	DRS100LC2	4	AT312	T11D	0.52	10	
	DRS132M2	9.2	AT421	T21	0.65	8.5	
R97	DRS90M2	1.5	AT311	T11	0.29	8.5	
	DRS100M2	3	AT311	T11	0.4	12	
	DRS100LC2	4	AT312	T11D	0.52	10	
	DRS132M2	9.2	AT421	T21	0.65	8.5	




R..
R.. AT.. [Nm]









			P_m [kW]				S_n [%]	
R107	DRS100M2		3	AT311	T11	0.4	12	→  214ff →  217ff
	DRS100LC2		4	AT312	T11D	0.52	10	
	DRS132M2		9.2	AT421	T21	0.65	8.5	
R137	DRS132M2		9.2	AT421	T21	0.65	8.5	
R147	DRS132M2		9.2	AT421	T21	0.65	8.5	


8.2.5 R..AT/ DRE..2

			P_m [kW]				S_n [%]	
R67	DRE80M2		0.75	AT311	T11	0.22	4.5	→  214ff →  217ff
	DRE90M2		1.5	AT311	T11	0.29	8.5	
	DRE100M2		2.2	AT311	T11	0.31	11.5	
	DRE100L2		3	AT311	T11	0.4	12	
R77	DRE80M2		0.75	AT311	T11	0.22	4.5	
	DRE90M2		1.5	AT311	T11	0.29	8.5	
	DRE100M2		2.2	AT311	T11	0.31	11.5	
	DRE100L2		3	AT311	T11	0.4	12	
	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	
R87	DRE90M2		1.5	AT311	T11	0.29	8.5	
	DRE100M2		2.2	AT311	T11	0.31	11.5	
	DRE100L2		3	AT311	T11	0.4	12	
	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	
R97	DRE90M2		1.5	AT311	T11	0.29	8.5	
	DRE100M2		2.2	AT311	T11	0.31	11.5	
	DRE100L2		3	AT311	T11	0.4	12	
	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	
R107	DRE100L2		3	AT311	T11	0.4	12	
	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	
R137	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	
R147	DRE132M2		7.5	AT421	T21	0.6	8	
	DRE132MC2		9.2	AT421	T21	0.65	8.5	




8.2.6 R..AT/ DRP..2


			P_m [kW]				S_n [%]	
R67	DRP80M2		0.75	AT311	T11	0.22	4.5	 214ff  217ff
	DRP90M2		1.1	AT311	T11	0.27	6	
	DRP100M2		2.2	AT311	T11	0.31	11.5	
	DRP100LC2		3	AT311	T11	0.4	12	
R77	DRP80M2		0.75	AT311	T11	0.22	4.5	
	DRP90M2		1.1	AT311	T11	0.27	6	
	DRP100M2		2.2	AT311	T11	0.31	11.5	
	DRP100LC2		3	AT311	T11	0.4	12	
R87	DRP100M2		2.2	AT311	T11	0.31	11.5	
	DRP100LC2		3	AT311	T11	0.4	12	
R97	DRP100M2		2.2	AT311	T11	0.31	11.5	
	DRP100LC2		3	AT311	T11	0.4	12	
R107	DRP100LC		3	AT311	T11	0.4	12	


8.3 R(X).. AD.. [kW]

i	n_a [1/min]	M_{amax}	P_e [kW]	$F_{Ra}^{1)}$ [N]	F_{Re} [N]	φ (/R)			m [kg]	
RX57 AD.. , $n_e = 1400$ 1/min										69 Nm
5.50*	255	37	1.0	3120	515	-	-			
5.07	276	34	1.0	3050	645	-	-			
4.35	322	61	2.1	2690	1110	-	-			
3.79	369	58	2.3	2560	1130	-	-	RX	57	AD2
3.55*	394	55	2.3	2520	1150	-	-	RXF	57	AD2
3.14	446	65	3.1	2320	990	-	-			
2.91	481	49	2.5	2370	1190	-	-			
2.64*	530	69	3.9	1810	880	-	-			
2.37	591	69	4.4	1500	1860	-	-			
2.04	686	69	5.1	1070	1810	-	-			
1.92*	729	69	5.4	880	1780	-	-	RX	57	AD3
1.65	847	69	6.3	430	1720	-	-	RXF	57	AD3
1.48	948	68	6.9	112	1660	-	-			
1.30	1075	63	7.2	132	1710	-	-			
RX67 AD.. , $n_e = 1400$ 1/min										134 Nm
6.07	231	41	1.0	4020	630	-	-			
5.18	270	75	2.2	3580	1090	-	-			
4.53	309	71	2.4	3420	1120	-	-	RX	67	AD2
4.30*	326	69	2.4	3370	1140	-	-	RXF	67	AD2
3.77	371	87	3.5	3090	880	-	-			
3.20*	438	100	4.7	2800	1700	-	-			
2.89	485	105	5.4	2640	1610	-	-			
2.54	551	118	7.0	2000	1400	-	-			
2.40*	583	123	7.7	1530	1300	-	-	RX	67	AD3
2.04	685	114	8.4	1260	1310	-	-	RXF	67	AD3
1.86	754	108	8.7	1180	1340	-	-			
1.61	870	99	9.2	1080	1380	-	-			
1.40*	1000	90	9.6	1030	1420	-	-			
RX77 AD.. , $n_e = 1400$ 1/min										215 Nm
8.00*	175	54	1.0	6350	520	-	-			
7.47	188	50	1.0	6220	655	-	-			
6.41	218	101	2.4	5610	1050	-	-	RX	77	AD2
5.63	249	107	2.9	5320	970	-	-	RXF	77	AD2
5.35*	262	101	2.8	5250	1020	-	-			
4.73	296	123	3.9	4900	1800	-	-			
4.04*	347	143	5.3	4500	1580	-	-	RX	77	AD3
3.70	378	143	5.8	4350	1560	-	-	RXF	77	AD3
3.25*	431	182	8.4	3200	3160	-	-			
3.08*	455	193	9.4	2560	3040	-	-			
2.70	519	215	11.9	1110	2780	-	-			
2.43	576	215	13.2	510	2670	-	-	RX	77	AD4
2.13	657	200	14.0	435	2720	-	-	RXF	77	AD4
1.88*	745	187	14.9	335	2750	-	-			
1.67	840	173	15.5	315	2800	-	-			
1.42	984	155	16.3	315	2870	-	-			
RX87 AD.. , $n_e = 1400$ 1/min										405 Nm
8.65	162	139	2.4	7890	1070	-	-			
7.63	183	145	2.9	7510	1020	-	-	RX	87	AD2
7.20*	194	136	2.8	7390	1060	-	-	RXF	87	AD2
6.45	217	192	4.5	6850	1640	-	-			
5.56*	252	225	6.1	6320	1410	-	-	RX	87	AD3
5.07	276	215	6.4	6140	1440	-	-	RXF	87	AD3
4.50*	311	290	9.7	5500	3010	-	-			
3.78	370	305	12.1	5030	2850	-	-	RX	87	AD4
								RXF	87	AD4
3.48	403	405	17.4	2730	5330	-	-			
3.09	454	405	19.6	1950	5250	-	-			
2.76*	507	405	22	1200	5160	-	-			
2.48	564	405	24	470	5060	-	-			
2.15	650	385	27	42	5050	-	-	RX	87	AD5
1.93	726	355	28	185	5150	-	-	RXF	87	AD5
1.60*	875	315	29	74	5230	-	-			
1.39	1005	290	31	74	5310	-	-			
RX97 AD.. , $n_e = 1400$ 1/min										595 Nm
8.23	170	225	4.2	9560	1710	-	-			
7.16*	196	260	5.5	8950	1520	-	-	RX	97	AD3
6.56	214	300	6.9	8500	1260	-	-	RXF	97	AD3




i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (f/R)			m [kg]			
5.79	242	420	10.9	7630	2770	-	-	RX	97	AD4	75	→ 220
4.91	285	395	12.0	7220	2820	-	-	RXF	97	AD4	84	
4.52	309	595	19.7	6180	4980	-	-					
4.04	346	595	22	5380	4900	-	-					
3.64*	385	595	24	4530	4810	-	-					
3.30	425	595	27	3730	4730	-	-					
2.92	479	595	30	2810	4620	-	-	RX	97	AD5	92	→ 220
2.64	530	595	34	1980	4510	-	-	RXF	97	AD5	100	
2.24*	625	595	40	495	4280	-	-					
1.96	716	570	43	19	4260	-	-					
1.64	856	505	46	51	4390	-	-					
1.42	988	455	48	132	7450	-	-	RX	97	AD6	105	→ 220
								RXF	97	AD6	115	
RX107 AD.. , n_e = 1400 1/min								830 Nm				
6.63*	211	460	10.4	9700	2710	-	-	RX	107	AD4	110	→ 220
5.61	250	455	12.2	9080	2660	-	-	RXF	107	AD4	125	
5.19	270	695	20	7850	4730	-	-					
4.65	301	695	22	7450	4660	-	-					
4.20*	333	830	30	6420	3800	-	-	RX	107	AD5	125	→ 220
3.81	367	830	32	5550	3610	-	-	RXF	107	AD5	140	
3.38	414	830	37	4490	3360	-	-					
3.07	456	830	40	3600	6560	-	-					
2.64*	530	830	47	2160	6350	-	-					
2.30	608	830	54	900	6150	-	-	RX	107	AD6	135	→ 220
1.95	716	730	56	1260	6410	-	-	RXF	107	AD6	155	
1.71	820	640	56	1840	6700	-	-					
1.44	969	540	56	2610	7070	-	-					
R27 AD.. , n_e = 1400 1/min								130 Nm				
135.09	10	130	0.17	4230	750	-	-					
123.91	11	130	0.18	4230	750	-	-					
105.49	13	130	0.21	4230	745	-	-					
90.96	15	130	0.24	4230	740	-	-					
84.78	17	130	0.26	4230	740	-	-					
74.11	19	130	0.29	4230	735	-	-					
69.47	20	130	0.31	4180	735	-	-					
61.30	23	130	0.35	3980	725	-	-	R	27	AD1	6.0	→ 220
55.87	25	130	0.38	3840	565	-	-	RF	27	AD1	5.9	
48.17	29	130	0.43	3630	550	-	-					
44.90	31	130	0.47	3530	540	-	-					
39.25	36	130	0.53	3350	520	-	-					
36.79	38	130	0.56	3260	505	-	-					
32.47	43	130	0.64	3100	485	-	-					
28.78	49	130	0.72	2950	460	-	-					
24.47	57	130	0.84	2760	425	-	-					
28.37	49	130	0.72	2940	1080	-	-					
26.09	54	130	0.78	2840	1060	-	-					
22.32	63	130	0.91	2660	1020	-	-					
19.35	72	130	1.0	2510	1550	-	-					
18.08	77	130	1.1	2440	1540	-	-					
15.63	90	130	1.3	2290	1520	-	-					
13.28*	105	130	1.5	2140	1510	-	-					
11.86	118	129	1.7	1980	1490	-	-					
10.13	138	122	1.8	1890	1490	-	-	R	27	AD2	6.9	→ 220
9.41	149	122	2.0	900	1150	-	-	RF	27	AD2	6.8	
8.16	172	116	2.2	870	1160	-	-					
7.63*	184	112	2.2	900	1170	-	-					
6.59	212	106	2.4	880	1170	-	-					
5.60*	250	99	2.7	880	1190	-	-					
5.00*	280	95	2.9	860	1180	-	-					
4.27	328	87	3.1	920	1200	-	-					
4.00*	350	85	3.2	900	1200	-	-					
3.37	415	79	3.6	900	1190	-	-					




R..
R(X).. AD.. [kW]

i	n_a [1/min]	M_{amax}	P_e [kW]	$F_{Ra}^{1)}$ [N]	F_{Re} [N]	φ (/R)			m [kg]		
R37 AD.. , $n_e = 1400$ 1/min								200 Nm			
134.82	10	200	0.25	4940	675	8	-	R RF	37 37	AD1 AD1	12 13 → 220
123.66	11	200	0.27	4940	665	8	-				
105.28	13	200	0.31	4940	655	8	-				
90.77	15	200	0.36	4940	640	8	-				
84.61	17	200	0.38	4940	635	8	-				
73.96	19	200	0.44	4940	615	8	-				
69.33	20	200	0.47	4940	605	8	-				
61.18	23	200	0.53	4940	590	8	-				
55.76	25	200	0.57	4940	355	9	-				
48.08	29	200	0.66	4940	1510	9	-				
44.81	31	200	0.71	4940	1490	9	-				
39.17	36	200	0.81	4760	1460	9	-				
36.72	38	200	0.86	4540	1440	9	-				
32.40	43	200	0.97	4120	1390	9	-				
28.73	49	200	1.1	3740	1650	9	-				
24.42	57	200	1.3	3240	1630	9	-				
28.32	49	189	1.0	4000	490	7	-	R RF	37 37	AD2 AD2	13 14 → 220
26.03	54	173	1.0	4180	620	7	-				
22.27	63	200	1.4	2970	1380	7	-				
19.31	73	200	1.6	2570	1360	7	-				
18.05	78	200	1.7	2390	1350	8	-				
15.60	90	200	2.0	2010	1320	8	-				
13.25	106	190	2.2	1880	1320	8	-				
11.83	118	183	2.4	1810	1320	8	-				
10.11	139	170	2.6	1820	1330	8	-				
9.47	148	167	2.7	1760	1320	8	-				
7.97	176	156	3.0	1720	1310	8	-				
6.67	210	144	3.3	1000	920	12	-				
5.67	247	142	3.8	760	890	12	-				
5.06	277	135	4.0	790	890	13	-				
4.32	324	126	4.4	820	900	13	-				
4.05	346	121	4.5	880	910	13	-				
3.41	411	107	4.8	1070	950	14	-				
R47 AD.. , $n_e = 1400$ 1/min								300 Nm			
176.88	7.9	300	0.29	5420	1790	7	-	R RF	47 47	AD2 AD2	17 17 → 220
162.94	8.6	300	0.31	5420	1780	7	-				
139.99	10	300	0.36	5420	1780	7	-				
121.87	11	300	0.41	5420	1780	7	-				
114.17	12	300	0.43	5420	1770	7	-				
100.86	14	300	0.49	5420	1770	7	-				
93.68	15	300	0.52	5420	1760	7	-				
84.90	16	300	0.58	5420	1760	7	-				
76.23	18	300	0.64	5420	1760	7	-				
68.54	20	300	0.70	5420	1450	8	-				
64.21	22	300	0.74	5420	1440	8	-				
56.73	25	300	0.84	5420	1410	8	-				
52.69	27	300	0.90	5350	1380	8	-				
47.75	29	300	0.99	5140	1360	8	-				
42.87	33	300	1.1	4930	1640	8	-				
36.93	38	300	1.3	4630	1620	8	-				
34.73	40	300	1.4	4520	1620	8	-				
29.88	47	300	1.6	4240	1600	8	-				
26.70	52	300	1.8	4050	1580	8	-				
23.59	59	300	2.0	3840	1570	8	-				




i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (R)			m [kg]			
33.79	41	225	1.0	4740	525	7	-					
31.12	45	205	1.0	4660	670	7	-					
26.74	52	300	1.7	4050	1270	7	-					
23.28	60	300	2.0	3820	1250	7	-					
21.81	64	300	2.1	3710	1240	7	-					
19.27	73	295	2.3	3530	1230	7	-					
17.89	78	290	2.5	3390	1220	7	-					
16.22	86	275	2.6	3350	1240	7	-					
14.56	96	265	2.8	3230	1240	7	-					
12.54	112	250	3.0	3080	1240	7	-	R	47	AD2	16	
11.79	119	245	3.2	3020	1240	7	-	RF	47	AD2	17	→ 220
10.15	138	230	3.4	2880	1240	7	-					
9.07	154	220	3.7	2780	1230	8	-					
8.01	175	205	3.9	2690	1250	8	-					
7.76*	181	163	3.2	2720	1080	10	-					
6.96	201	159	3.5	2620	1070	10	-					
6.00	233	156	4.0	2470	1040	10	-					
5.64*	248	155	4.2	2410	1020	10	-					
4.85	288	150	4.7	2280	1000	10	-					
4.34	323	146	5.1	2190	970	11	-					
3.83	365	144	5.7	2080	1970	11	-	R	47	AD3	20	
								RF	47	AD3	20	→ 220
R57 AD.. , n_e = 1400 1/min											450 Nm	
186.89	7.5	450	0.40	7100	1700	7	-					
172.17	8.1	450	0.43	7100	1690	7	-					
147.92	9.5	450	0.50	7100	1670	7	-					
128.77	11	450	0.57	7100	1650	7	-					
120.63	12	450	0.60	7100	1640	7	-					
106.58	13	450	0.68	7100	1620	7	-					
98.99	14	450	0.73	7100	1590	7	-					
89.71	16	450	0.80	7100	1580	7	-					
80.55	17	450	0.89	7100	1550	7	-	R	57	AD2	22	
69.23	20	450	1.0	7100	1020	7	-	RF	57	AD2	26	→ 220
64.85	22	450	1.1	6980	1570	8	-	RM	57	AD2	38	
57.29	24	450	1.2	6630	1560	8	-					
53.22	26	450	1.3	6430	1540	8	-					
48.23	29	450	1.5	6170	1540	8	-					
43.30	32	450	1.6	5900	1520	8	-					
37.30*	38	450	1.9	5530	1500	8	-					
35.07	40	450	2.0	5390	1490	8	-					
30.18	46	450	2.3	5040	1460	8	-					
26.97	52	450	2.6	4800	1440	8	-					
26.31	53	420	2.4	4860	1100	6	-					
24.99*	56	410	2.5	4780	1120	6	-	R	57	AD2	21	
21.93	64	450	3.1	4370	1000	7	-	RF	57	AD2	25	→ 220
18.60*	75	450	3.7	4050	960	7	-	RM	57	AD2	37	
16.79	83	450	4.1	3860	920	7	-					
14.77*	95	435	4.5	3690	930	7	-					
13.95*	100	430	4.7	3610	1940	7	-					
11.88	118	405	5.2	3430	1930	7	-					
10.79	130	390	5.5	3330	1930	7	-					
9.35	150	370	6.0	3180	1920	7	-					
9.06	155	335	5.6	2900	1580	9	-	R	57	AD3	25	
7.97	176	355	6.8	2020	1460	9	-	RF	57	AD3	28	→ 220
7.53	186	350	7.0	1950	1460	9	-	RM	57	AD3	40	
6.41	218	335	7.9	1770	1420	9	-					
5.82	240	320	8.3	1820	1430	10	-					
5.05	277	305	9.2	1730	1400	10	-					
4.39	319	280	9.6	1900	1440	10	-					




R..
R(X).. AD.. [kW]

i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (°/R)			m [kg]			
R67 AD.. , n_e = 1400 1/min								600 Nm				
199.81	7.0	600	0.49	7560	1510	6	-					
184.07	7.6	600	0.53	7560	1500	6	-					
158.14	8.8	600	0.61	7560	1480	6	-					
137.67	10	600	0.70	7560	1450	6	-					
128.97	11	600	0.74	7560	1440	6	-					
113.94	12	600	0.84	7560	1410	6	-					
105.83	13	600	0.90	7560	1380	6	-					
95.91	15	600	0.99	7560	1360	6	-					
86.11	16	600	1.1	7560	1640	6	-	R	67	AD2	29	
74.17	19	600	1.3	7560	1620	7	-	RF	67	AD2	32	→
69.75	20	600	1.4	7560	1620	7	-	RM	67	AD2	48	→
61.26	23	600	1.5	7560	1450	7	-					
56.89	25	600	1.6	7560	1440	7	-					
51.56	27	600	1.8	7560	1420	7	-					
46.29	30	600	2.0	7560	1410	7	-					
39.88*	35	580	2.3	7790	1400	7	-					
37.50	37	570	2.4	7900	1390	7	-					
32.27	43	540	2.6	8210	1390	7	-					
28.83	49	520	2.8	8400	1380	7	-					
28.13	50	410	2.2	9270	1150	6	-	R	67	AD2	28	
26.72	52	400	2.3	9340	1160	6	-	RF	67	AD2	31	→
23.44	60	560	3.6	8010	810	6	-	RM	67	AD2	47	→
19.89	70	600	4.6	7560	1710	6	-					
17.95	78	590	5.0	7330	1700	6	-					
15.79	89	560	5.4	7130	1720	6	-					
14.91	94	550	5.6	6980	1720	6	-					
12.70	110	520	6.2	6640	1700	6	-					
11.54	121	500	6.6	6500	1700	7	-					
10.00	140	470	7.1	6220	1700	7	-	R	67	AD3	31	
8.70*	161	440	7.7	5960	1710	7	-	RF	67	AD3	34	→
7.79	180	380	7.4	5830	1280	8	-	RM	67	AD3	50	→
7.36*	190	370	7.6	5790	1290	8	-					
6.27	223	330	8.0	5590	1360	9	-					
5.70	246	310	8.2	5450	1400	9	-					
4.93	284	290	8.9	5210	1400	9	-					
4.29	326	270	9.5	5000	1410	10	-					
R77 AD.. , n_e = 1400 1/min								820 Nm				
195.24*	7.2	820	0.68	9920	1300	6	-					
166.59	8.4	820	0.79	9920	1270	6	-					
145.67	9.6	820	0.90	9920	1240	6	-					
138.39	10	820	0.95	9920	1240	6	-					
121.42	12	820	1.1	9920	1630	6	-					
102.99	14	820	1.3	9920	1610	6	-					
92.97	15	820	1.4	9920	1600	6	-					
81.80	17	820	1.6	9920	1590	6	-					
77.24	18	820	1.7	9920	1590	6	-	R	77	AD2	35	
65.77	21	820	2.0	9920	1560	7	-	RF	77	AD2	41	→
57.68	24	820	2.2	9920	1380	7	-	RM	77	AD2	66	→
52.07	27	820	2.4	9920	1370	7	-					
45.81	31	820	2.8	9920	1350	7	-					
43.26	32	820	2.9	9920	1340	7	-					
36.83	38	820	3.4	9920	1290	7	-					
33.47	42	820	3.8	9920	1270	7	-					
29.00	48	820	4.4	9920	1220	7	-					
25.23	55	780	4.8	10100	1210	7	-					
23.37	60	820	5.3	8870	1620	6	-					
21.43	65	820	5.8	8250	1600	6	-					
18.80	74	780	6.3	7980	1630	6	-					
17.82*	79	780	6.6	7620	1600	6	-	R	77	AD3	37	
15.60	90	740	7.2	7390	1620	6	-	RF	77	AD3	43	→
14.05	100	720	7.8	7050	1590	6	-	RM	77	AD3	68	→
12.33	114	690	8.5	6740	1580	6	-					
10.88	129	660	9.2	6490	1570	6	-					
9.64	145	630	9.9	6300	1560	7	-					
8.59	163	630	11.1	4110	2970	7	-					
7.74	181	610	11.9	3940	2920	8	-	R	77	AD4	43	
6.79	206	580	12.9	3850	2930	8	-	RF	77	AD4	49	→
5.99*	234	540	13.6	3990	2970	8	-	RM	77	AD4	74	→
5.31*	264	510	14.5	3990	2980	8	-					




i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (f/R)			m [kg]			
R87 AD.. , n_e = 1400 1/min								1550 Nm				
246.54	5.7	1550	1.0	16900	1570	6	-					
216.54	6.5	1550	1.1	16900	1570	6	-					
205.71	6.8	1550	1.2	16900	1570	6	-					
181.77	7.7	1550	1.4	16900	1540	6	-					
155.34	9.0	1550	1.6	16900	1530	6	-					
142.41	9.8	1550	1.7	16900	1520	6	-					
124.97	11	1550	1.9	16900	1510	6	-					
118.43*	12	1550	2.0	16900	1500	6	-	R	87	AD2	61	
103.65	14	1550	2.3	16900	1480	6	-	RF	87	AD2	68	→
93.38	15	1550	2.6	16900	1460	6	-	RM	87	AD2	98	220
81.92	17	1550	3.0	16900	1440	6	-					
72.57	19	1550	3.3	16900	1160	6	-					
63.68*	22	1550	3.8	15800	1130	6	-					
60.35*	23	1550	4.0	15200	1120	6	-					
52.82	27	1550	4.5	13500	1080	6	-					
47.58	29	1550	5.0	12300	1040	7	-					
41.74	34	1550	5.7	16900	1940	7	-	R	87	AD3	65	
36.84*	38	1550	6.5	16800	1900	7	-	RF	87	AD3	72	→
32.66*	43	1550	7.3	16000	1850	7	-	RM	87	AD3	100	220
27.88	50	1500	8.3	15100	1810	7	-					
34.40*	41	1360	6.0	11500	1400	5	-	R	87	AD3	64	
31.40	45	1280	6.2	11700	1450	5	-	RF	87	AD3	71	→
								RM	87	AD3	100	220
27.84*	50	1550	8.5	15000	3200	6	-					
23.40	60	1550	10.1	13900	3130	6	-					
21.51	65	1500	10.6	13600	3120	6	-					
19.10	73	1440	11.4	13000	3130	6	-	R	87	AD4	70	
17.08*	82	1390	12.4	12600	3130	6	-	RF	87	AD4	77	→
15.35	91	1340	13.2	12100	3130	6	-	RM	87	AD4	105	220
13.33	105	1280	14.6	11600	3110	6	-					
11.93	117	1230	15.6	11200	3100	6	-					
9.90*	141	1180	18.1	10400	3020	6	-					
9.14*	153	1210	20	10500	5360	6	-					
8.22	170	1160	21	10200	5380	7	-	R	87	AD5	85	
7.13	196	1070	23	9780	5440	7	-	RF	87	AD5	92	→
6.39	219	1020	24	9450	5450	7	-	RM	87	AD5	120	220
5.30*	264	910	26	8980	5510	7	-					
R97 AD.. , n_e = 1400 1/min								3000 Nm				
216.28	6.5	3000	2.2	19800	2210	6	-					
186.30	7.5	3000	2.5	19800	2200	6	-					
170.02	8.2	3000	2.8	19800	2180	6	-					
150.78	9.3	3000	3.1	19800	2170	6	-					
126.75	11	3000	3.7	19800	2140	6	-					
116.48	12	3000	4.0	19800	2130	6	-					
103.44	14	3000	4.5	19800	2100	6	-	R	97	AD3	105	
92.48	15	3000	5.0	19800	2070	6	-	RF	97	AD3	125	→
83.15	17	3000	5.6	19800	2040	6	-	RM	97	AD3	175	220
72.17	19	3000	6.5	18000	2000	6	-					
65.21	21	3000	7.1	19800	1550	6	-					
59.92	23	3000	7.7	19800	1510	6	-					
53.21	26	3000	8.7	19800	1460	6	-					
47.58	29	3000	9.7	19800	3440	6	-					
42.78	33	3000	10.8	19800	3400	6	-	R	97	AD4	110	
37.13	38	3000	12.4	18600	3320	6	-	RF	97	AD4	130	→
33.25	42	2890	13.4	17900	3310	6	-	RM	97	AD4	180	220
27.58	51	2670	14.9	16900	3290	6	-					
32.05	44	2560	12.1	10600	2370	5	-	R	97	AD4	110	
27.19	52	2430	13.6	9910	2490	5	-	RF	97	AD4	125	→
								RM	97	AD4	175	220




R..
R(X).. AD.. [kW]

i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (°/R)			m [kg]			
25.03	56	2830	17.1	15900	5290	5	-					
22.37	63	2720	18.4	15300	5320	5	-					
20.14	70	2610	19.6	14800	5350	5	-					
18.24	77	2500	21	14400	5390	6	-					
16.17	87	2400	22	13800	5410	6	-					
14.62	96	2300	24	13400	5430	6	-	R	97	AD5	125	
12.39	113	2190	27	12700	5380	6	-	RF	97	AD5	145	→
10.83	129	2090	29	12100	5380	6	-	RM	97	AD5	195	220
9.29	151	2030	33	12200	4260	6	-					
8.39	167	2030	37	11700	4140	6	-					
7.12	197	2000	42	10900	3810	6	-					
6.21	225	1890	46	10500	3940	6	-					
5.20	269	1780	52	9850	6870	6	-	R	97	AD6	140	
4.50*	311	1630	55	9500	6940	6	M2	RF	97	AD6	155	→
								RM	97	AD6	210	220
R107 AD.. , n_e = 1400 1/min								4300 Nm				
251.15	5.6	4300	2.7	29500	2150	7	-					
229.95	6.1	4300	3.0	29500	2140	7	-					
203.16	6.9	4300	3.3	29500	2130	7	-					
172.34	8.1	4300	3.9	29500	2110	7	-					
158.68	8.8	4300	4.2	29500	2090	7	-					
141.83	9.9	4300	4.7	29500	2070	7	-	R	107	AD3	165	
127.68	11	4300	5.2	29500	2040	7	-	RF	107	AD3	170	→
115.63	12	4300	5.8	29500	2020	7	-	RM	107	AD3	260	220
102.53	14	4300	6.5	29500	1990	7	-					
92.70	15	4300	7.2	29500	1960	7	-					
78.57	18	4300	8.5	29500	1890	7	-					
72.88	19	4300	9.1	29500	1400	7	-					
65.60*	21	4300	10.1	29200	3400	7	-					
59.41	24	4300	11.2	28000	3360	7	-					
52.68	27	4300	12.6	26600	3310	7	-	R	107	AD4	170	
47.63	29	4300	13.9	25500	3260	7	-	RF	107	AD4	175	→
40.37*	35	4300	16.4	23800	3150	7	-	RM	107	AD4	265	220
35.26	40	4300	18.8	22400	3070	7	-					
29.49	47	4300	22	20700	2920	7	-					
30.77	46	4300	21	21100	4810	7	-					
27.58	51	4300	24	20100	4730	7	-					
24.90*	56	4300	26	19200	4600	7	-	R	107	AD5	180	
22.62	62	4300	29	18300	4510	7	-	RF	107	AD5	185	→
20.07	70	4300	32	17300	4400	7	-	RM	107	AD5	270	220
18.21	77	4300	36	16600	4300	7	-					
15.65	89	4300	42	15400	4070	7	-					
13.66	102	4300	48	14400	6890	7	-					
11.59	121	4280	56	13300	6650	7	-					
10.13	138	3740	56	13300	6930	7	-					
8.56	163	3160	56	13200	7280	7	M2	R	107	AD6	190	
7.86	178	2900	56	13900	6250	9	-	RF	107	AD6	200	→
6.66	210	2460	56	13500	6650	9	-	RM	107	AD6	285	220
5.82	240	2150	56	13200	6930	9	-					
4.92	284	2000	61	12500	6950	9	M2					
R137 AD.. , n_e = 1400 1/min								8000 Nm				
222.60*	6.3	8000	5.6	53400	3730	6	-					
188.45	7.4	8000	6.6	53400	3690	6	-					
174.40*	8.0	8000	7.1	53400	3660	6	-					
156.31	9.0	8000	7.9	53400	3640	6	-					
141.12*	9.9	8000	8.8	53400	3580	6	-					
128.18	11	8000	9.7	53400	3550	6	-	R	137	AD4	255	
113.72	12	8000	10.9	53400	3510	6	-	RF	137	AD4	280	→
103.20*	14	8000	12.0	53400	3470	6	-	RM	137	AD4	390	220
88.70*	16	8000	14.0	53400	3400	6	-					
80.91*	17	8000	15.2	53400	2770	6	-					
73.49	19	8000	16.7	53400	2720	6	-					
65.20	21	8000	18.8	53400	2650	6	-					
59.17*	24	8000	21	53400	2580	6	-					
50.86*	28	8000	24	53400	5670	6	-					
44.39	32	8000	28	53400	5560	6	-	R	137	AD5	270	
37.65	37	8000	33	53400	5400	6	-	RF	137	AD5	290	→
32.91	43	8000	37	53400	5240	6	-	RM	137	AD5	405	220
27.83	50	7680	42	54100	5160	6	M2					




i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (f/R)			m [kg]			
29.57*	47	7780	40	53900	5200	6	-	R	137	AD6	270	
24.12	58	8000	50	49400	4330	6	-	RF	137	AD6	295	→ 220
								RM	137	AD6	405	
22.00*	64	8000	55	47100	11700	6	-					
19.04*	74	8000	63	43500	10700	6	-					
16.80*	83	8000	72	40600	9940	6	-					
14.51	96	8000	83	37300	8800	6	M2	R	137	AD7	280	
12.83	109	7390	87	37400	9850	6	M2	RF	137	AD7	305	→ 220
10.79	130	7200	101	34700	8850	6	M1-6	RM	137	AD7	415	
8.71	161	6900	120	31800	7540	6	M1-6					
7.59	184	4600	91	41100	8460	8	M1-6					
6.38	219	4400	104	38900	7940	8	M1-6					
5.15	272	4100	120	36600	7410	8	M1-6					
R147 AD.. , n_e = 1400 1/min								13000 Nm				
163.31	8.6	13000	12.3	62700	2970	5	-					
146.91	9.5	13000	13.6	62700	2920	5	-	R	147	AD4	385	
119.86	12	13000	16.7	62700	2780	5	-	RF	147	AD4	395	→ 220
109.31	13	13000	18.3	62700	2730	5	-	RM	147	AD4	560	
94.60*	15	13000	21	62700	2630	6	-					
83.47	17	13000	24	62700	2540	6	-					
72.09	19	13000	28	62700	5670	6	-	R	147	AD5	400	
66.99	21	13000	30	62700	4550	6	-	RF	147	AD5	410	→ 220
61.09	23	13000	33	62700	4470	6	-	RM	147	AD5	570	
52.87	26	13000	38	62700	4310	6	-					
46.65	30	13000	43	62700	4170	6	-					
40.29	35	13000	49	62700	6970	6	-	R	147	AD6	410	
								RF	147	AD6	420	→ 220
								RM	147	AD6	590	
35.64	39	13000	56	62700	16800	6	-	R	147	AD7	410	
29.95	47	13000	66	62700	16600	6	M2	RF	147	AD7	420	→ 220
24.19	58	11900	75	64700	16500	6	M1-6	RM	147	AD7	590	
20.44	68	11700	86	65100	23700	5	-					
18.04	78	10300	86	67300	24300	5	-					
15.64	90	13000	125	62700	22400	5	M1-6					
13.91	101	12300	133	64000	22500	5	M1-6	R	147	AD8	420	
11.99	117	10600	133	66900	23200	5	M1-6	RF	147	AD8	425	→ 220
9.74	144	8650	134	67500	23900	6	M1-6	RM	147	AD8	590	
8.26	169	7340	134	66900	24400	6	M1-6					
7.25	193	6440	134	65300	23200	8	M1-6					
5.89	238	5230	134	64000	23900	8	M1-6					
5.00	280	4430	134	62600	24500	8	M1-6					
R167 AD.. , n_e = 1400 1/min								18000 Nm				
229.71	6.1	18000	12.2	120000	6070	5	-					
186.93*	7.5	18000	14.9	120000	6000	5	-					
153.07	9.2	18000	18.1	120000	5880	5	-	R	167	AD5	650	
139.98	10	18000	19.8	120000	5840	5	-	RF	167	AD5	650	→ 220
121.81*	11	18000	23	120000	5750	5	-	RM	167	AD5	850	
107.49	13	18000	26	120000	5670	5	-					
93.19	15	18000	30	120000	5560	5	-					
82.91*	17	18000	33	120000	5470	5	-					
73.70*	19	18000	37	120000	3380	6	-					
67.40	21	18000	41	120000	6690	6	-	R	167	AD6	660	
58.65	24	18000	47	120000	6530	6	-	RF	167	AD6	670	→ 220
51.76	27	18000	53	120000	6380	6	-	RM	167	AD6	870	
44.87	31	18000	61	120000	16000	6	-	R	167	AD7	660	
39.92	35	18000	69	120000	15300	6	-	RF	167	AD7	670	→ 220
34.41	41	18000	80	120000	14400	6	-	RM	167	AD7	860	
27.96	50	18000	99	120000	25500	6	M2,4	R	167	AD8	680	
23.71	59	18000	116	116500	25100	6	M1-6	RF	167	AD8	690	→ 220
								RM	167	AD8	880	
46.00	30	7000	23	120000	4520	5	-	R	167	AD5	640	
								RF	167	AD5	650	→ 220
								RM	167	AD5	840	
37.74	37	9000	36	120000	6270	5	-	R	167	AD6	660	
30.71	46	10000	49	120000	4550	5	-	RF	167	AD6	670	→ 220
								RM	167	AD6	860	



R..
R(X).. AD.. [kW]


i	n _a [1/min]	M _{amax}	P _e [kW]	F _{Ra} ¹⁾ [N]	F _{Re} [N]	φ (f/R)			m [kg]		
24.57	57	14000	86	120000	23700	5	-				
21.85	64	13000	90	120000	24000	5	-				
19.03	74	16000	127	111400	22200	5	-	R	167	AD8	680
16.98	82	15000	133	108900	22400	5	-	RF	167	AD8	680
14.48	97	18000	187	93800	20300	5	M1-6	RM	167	AD8	880
11.99	117	17000	214	88700	20100	5	M1-6				→ 220
10.24	137	17000	250	82500	19400	5	M1-6				




8.4 R.. AM.. (IEC) [mm]

01 010 02 01



RX57..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	240	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	240	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	273	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	273	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	308	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	308	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	365	M12	191	38	80	41.3	10	




RXF57..




ø 140




ø 160



ø 200




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	240	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	240	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	273	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	273	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	308	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	308	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	365	M12	191	38	80	41.3	10




01 012 02 01


RX67..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	267	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	267	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	300	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	300	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	335	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	335	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	392	M12	191	38	80	41.3	10




RXF67..




∅ 160




∅ 200



∅ 250




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	267	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	267	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	300	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	300	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	335	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	335	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	392	M12	191	38	80	41.3	10	




01 014 02 01

RX77..







8

(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	287	M8	60	11	23	12.8	4	
AM71	110	10	130	4.0	160	287	M8	60	14	30	16.3	5	
AM80	130	12	165	4.5	200	319	M10	92	19	40	21.8	6	
AM90	130	12	165	4.5	200	319	M10	92	24	50	27.3	8	
AM100	180	15	215	5.0	250	353	M12	126	28	60	31.3	8	
AM112	180	15	215	5.0	250	353	M12	126	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	406	M12	179	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	406	M12	179	38	80	41.3	10	




01 015 02 01

RXF77..



ø 200

ø 250


(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	287	M8	60	11	23	12.8	4	
AM71	110	10	130	4.0	160	287	M8	60	14	30	16.3	5	
AM80	130	12	165	4.5	200	319	M10	92	19	40	21.8	6	
AM90	130	12	165	4.5	200	319	M10	92	24	50	27.3	8	
AM100	180	15	215	5.0	250	353	M12	126	28	60	31.3	8	
AM112	180	15	215	5.0	250	353	M12	126	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	406	M12	179	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	406	M12	179	38	80	41.3	10	




01 016 01 01

RX87..







8

(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM80	130	12	165	4.5	200	356	M10	87	19	40	21.8	6	
AM90	130	12	165	4.5	200	356	M10	87	24	50	27.3	8	
AM100	180	15	215	5.0	250	390	M12	121	28	60	31.3	8	
AM112	180	15	215	5.0	250	390	M12	121	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	443	M12	174	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	443	M12	174	38	80	41.3	10	
AM160	250	18	300	6.0	350	501	M16	232	42	110	45.3	12	
AM180	250	18	300	6.0	350	501	M16	232	48	110	51.8	14	




01 017 01 01

RXF87..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM80	130	12	165	4.5	200	356	M10	87	19	40	21.8	6	
AM90	130	12	165	4.5	200	356	M10	87	24	50	27.3	8	
AM100	180	15	215	5.0	250	390	M12	121	28	60	31.3	8	
AM112	180	15	215	5.0	250	390	M12	121	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	443	M12	174	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	443	M12	174	38	80	41.3	10	
AM160	250	18	300	6.0	350	501	M16	232	42	110	45.3	12	
AM180	250	18	300	6.0	350	501	M16	232	48	110	51.8	14	




01 018 01 01

RX97..







8


(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM100	180	15	215	5.0	250	432	M12	116	28	60	31.3	8	
AM112	180	15	215	5.0	250	432	M12	116	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	485	M12	169	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	485	M12	169	38	80	41.3	10	
AM160	250	18	300	6.0	350	543	M16	227	42	110	45.3	12	
AM180	250	18	300	6.0	350	543	M16	227	48	110	51.8	14	
AM200	300	20	350	7.0	400	584	M16	268	55	110	59.3	16	



RXF97..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM100	180	15	215	5.0	250	432	M12	116	28	60	31.3	8	
AM112	180	15	215	5.0	250	432	M12	116	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	485	M12	169	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	485	M12	169	38	80	41.3	10	
AM160	250	18	300	6.0	350	543	M16	227	42	110	45.3	12	
AM180	250	18	300	6.0	350	543	M16	227	48	110	51.8	14	
AM200	300	20	350	7.0	400	584	M16	268	55	110	59.3	16	




01 020 01 01

RX107..



8








(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM100	180	15	215	5.0	250	474	M12	110	28	60	31.3	8	
AM112	180	15	215	5.0	250	474	M12	110	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	527	M12	163	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	527	M12	163	38	80	41.3	10	
AM160	250	18	300	6.0	350	585	M16	221	42	110	45.3	12	
AM180	250	18	300	6.0	350	585	M16	221	48	110	51.8	14	
AM200	300	20	350	7.0	400	626	M16	262	55	110	59.3	16	
AM225	350	22	400	7.0	450	641	M16	277	60	140	64.4	18	




RXF107..

<=AM200


>=AM225




ø 350



ø 450




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM100	180	15	215	5.0	250	474	M12	110	28	60	31.3	8
AM112	180	15	215	5.0	250	474	M12	110	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	527	M12	163	38	80	41.3	10
AM132ML	230	16	265	5.0	300	527	M12	163	38	80	41.3	10
AM160	250	18	300	6.0	350	585	M16	221	42	110	45.3	12
AM180	250	18	300	6.0	350	585	M16	221	48	110	51.8	14
AM200	300	20	350	7.0	400	626	M16	262	55	110	59.3	16
AM225	350	22	400	7.0	450	641	M16	277	60	140	64.4	18




01 022 02 01


R27..







R27F..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	265	M8	72	11	23	12.8	4	
AM71	110	10	130	4.0	160	265	M8	72	14	30	16.3	5	
AM80	130	12	165	4.5	200	299	M10	106	19	40	21.8	6	
AM90	130	12	165	4.5	200	299	M10	106	24	50	27.3	8	



RF27..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	271	M8	72	11	23	12.8	4
AM71	110	10	130	4.0	160	271	M8	72	14	30	16.3	5
AM80	130	12	165	4.5	200	305	M10	106	19	40	21.8	6
AM90	130	12	165	4.5	200	305	M10	106	24	50	27.3	8




01 004 00 07

RZ27..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	265	M8	72	11	23	12.8	4	
AM71	110	10	130	4.0	160	265	M8	72	14	30	16.3	5	
AM80	130	12	165	4.5	200	299	M10	106	19	40	21.8	6	
AM90	130	12	165	4.5	200	299	M10	106	24	50	27.3	8	




R..
R.. AM.. (IEC) [mm]

R37..


01 024 02 01



R37F..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	273	M8	72	11	23	12.8	4	
AM71	110	10	130	4.0	160	273	M8	72	14	30	16.3	5	
AM80	130	12	165	4.5	200	307	M10	106	19	40	21.8	6	
AM90	130	12	165	4.5	200	307	M10	106	24	50	27.3	8	




01 025 02 01


RF37..



8




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	279	M8	72	11	23	12.8	4	
AM71	110	10	130	4.0	160	279	M8	72	14	30	16.3	5	
AM80	130	12	165	4.5	200	313	M10	106	19	40	21.8	6	
AM90	130	12	165	4.5	200	313	M10	106	24	50	27.3	8	




01 005 00 07

RZ37..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	279	M8	72	11	23	12.8	4	
AM71	110	10	130	4.0	160	279	M8	72	14	30	16.3	5	
AM80	130	12	165	4.5	200	313	M10	106	19	40	21.8	6	
AM90	130	12	165	4.5	200	313	M10	106	24	50	27.3	8	




01 026 01 01


R47..




R47F..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	301	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	301	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	334	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	334	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	369	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	369	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	426	M12	191	38	80	41.3	10




RF47..




ø 140




ø 160



ø 200




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	301	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	301	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	334	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	334	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	369	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	369	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	426	M12	191	38	80	41.3	10	




01 006 00 07




RZ47..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	301	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	301	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	334	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	334	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	369	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	369	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	426	M12	191	38	80	41.3	10



01 028 02 01


R57..**R57F..**

(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	323	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	323	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	356	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	356	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	391	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	391	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	448	M12	191	38	80	41.3	10	




01 029 02 01


RF57..




ø 160




ø 200




ø 250



RM57..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	323	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	323	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	356	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	356	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	391	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	391	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	448	M12	191	38	80	41.3	10




01 007 00 07

RZ57..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	323	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	323	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	356	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	356	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	391	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	391	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	448	M12	191	38	80	41.3	10	




01 030 01 01

R67..




8

R67F..






(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	346	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	346	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	379	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	379	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	414	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	414	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	471	M12	191	38	80	41.3	10




01 031 02 01


RF67..



RM67..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	346	M8	66	11	23	12.8	4
AM71	110	10	130	4.0	160	346	M8	66	14	30	16.3	5
AM80	130	12	165	4.5	200	379	M10	99	19	40	21.8	6
AM90	130	12	165	4.5	200	379	M10	99	24	50	27.3	8
AM100	180	15	215	5.0	250	414	M12	134	28	60	31.3	8
AM112	180	15	215	5.0	250	414	M12	134	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	471	M12	191	38	80	41.3	10




01 008 00 07

RZ67..





8


(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	346	M8	66	11	23	12.8	4	
AM71	110	10	130	4.0	160	346	M8	66	14	30	16.3	5	
AM80	130	12	165	4.5	200	379	M10	99	19	40	21.8	6	
AM90	130	12	165	4.5	200	379	M10	99	24	50	27.3	8	
AM100	180	15	215	5.0	250	414	M12	134	28	60	31.3	8	
AM112	180	15	215	5.0	250	414	M12	134	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	471	M12	191	38	80	41.3	10	



01 032 02 01




R77..**R77F..**

(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	360	M8	60	11	23	12.8	4	
AM71	110	10	130	4.0	160	360	M8	60	14	30	16.3	5	
AM80	130	12	165	4.5	200	392	M10	92	19	40	21.8	6	
AM90	130	12	165	4.5	200	392	M10	92	24	50	27.3	8	
AM100	180	15	215	5.0	250	426	M12	126	28	60	31.3	8	
AM112	180	15	215	5.0	250	426	M12	126	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	479	M12	179	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	479	M12	179	38	80	41.3	10	




01 033 02 01


RF77..



RM77..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM63	95	10	115	3.5	140	360	M8	60	11	23	12.8	4
AM71	110	10	130	4.0	160	360	M8	60	14	30	16.3	5
AM80	130	12	165	4.5	200	392	M10	92	19	40	21.8	6
AM90	130	12	165	4.5	200	392	M10	92	24	50	27.3	8
AM100	180	15	215	5.0	250	426	M12	126	28	60	31.3	8
AM112	180	15	215	5.0	250	426	M12	126	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	479	M12	179	38	80	41.3	10
AM132ML	230	16	265	5.0	300	479	M12	179	38	80	41.3	10




01 009 00 07

RZ77..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM63	95	10	115	3.5	140	360	M8	60	11	23	12.8	4	
AM71	110	10	130	4.0	160	360	M8	60	14	30	16.3	5	
AM80	130	12	165	4.5	200	392	M10	92	19	40	21.8	6	
AM90	130	12	165	4.5	200	392	M10	92	24	50	27.3	8	
AM100	180	15	215	5.0	250	426	M12	126	28	60	31.3	8	
AM112	180	15	215	5.0	250	426	M12	126	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	479	M12	179	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	479	M12	179	38	80	41.3	10	




01 034 01 01


R87..



R87F..






(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM80	130	12	165	4.5	200	459	M10	87	19	40	21.8	6
AM90	130	12	165	4.5	200	459	M10	87	24	50	27.3	8
AM100	180	15	215	5.0	250	493	M12	121	28	60	31.3	8
AM112	180	15	215	5.0	250	493	M12	121	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	546	M12	174	38	80	41.3	10
AM132ML	230	16	265	5.0	300	546	M12	174	38	80	41.3	10
AM160	250	18	300	6.0	350	604	M16	232	42	110	45.3	12
AM180	250	18	300	6.0	350	604	M16	232	48	110	51.8	14




01 035 01 01


RF87..



RM87..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM80	130	12	165	4.5	200	459	M10	87	19	40	21.8	6
AM90	130	12	165	4.5	200	459	M10	87	24	50	27.3	8
AM100	180	15	215	5.0	250	493	M12	121	28	60	31.3	8
AM112	180	15	215	5.0	250	493	M12	121	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	546	M12	174	38	80	41.3	10
AM132ML	230	16	265	5.0	300	546	M12	174	38	80	41.3	10
AM160	250	18	300	6.0	350	604	M16	232	42	110	45.3	12
AM180	250	18	300	6.0	350	604	M16	232	48	110	51.8	14




01 010 00 07

RZ87..




8

(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM80	130	12	165	4.5	200	459	M10	87	19	40	21.8	6	
AM90	130	12	165	4.5	200	459	M10	87	24	50	27.3	8	
AM100	180	15	215	5.0	250	493	M12	121	28	60	31.3	8	
AM112	180	15	215	5.0	250	493	M12	121	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	546	M12	174	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	546	M12	174	38	80	41.3	10	
AM160	250	18	300	6.0	350	604	M16	232	42	110	45.3	12	
AM180	250	18	300	6.0	350	604	M16	232	48	110	51.8	14	




01 036 01 01

R97..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM100	180	15	215	5.0	250	556	M12	116	28	60	31.3	8	
AM112	180	15	215	5.0	250	556	M12	116	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	609	M12	169	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	609	M12	169	38	80	41.3	10	
AM160	250	18	300	6.0	350	667	M16	227	42	110	45.3	12	
AM180	250	18	300	6.0	350	667	M16	227	48	110	51.8	14	
AM200	300	20	350	7.0	400	708	M16	268	55	110	59.3	16	




01 037 01 01


RF97..




ø 350




ø 450



RM97..



(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM100	180	15	215	5.0	250	556	M12	116	28	60	31.3	8
AM112	180	15	215	5.0	250	556	M12	116	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	609	M12	169	38	80	41.3	10
AM132ML	230	16	265	5.0	300	609	M12	169	38	80	41.3	10
AM160	250	18	300	6.0	350	667	M16	227	42	110	45.3	12
AM180	250	18	300	6.0	350	667	M16	227	48	110	51.8	14
AM200	300	20	350	7.0	400	708	M16	268	55	110	59.3	16







01 038 01 01


R107..

<=AM200

>=AM225




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM100	180	15	215	5.0	250	605	M12	110	28	60	31.3	8	
AM112	180	15	215	5.0	250	605	M12	110	28	60	31.3	8	
AM132S/M	230	16	265	5.0	300	658	M12	163	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	658	M12	163	38	80	41.3	10	
AM160	250	18	300	6.0	350	716	M16	221	42	110	45.3	12	
AM180	250	18	300	6.0	350	716	M16	221	48	110	51.8	14	
AM200	300	20	350	7.0	400	757	M16	262	55	110	59.3	16	
AM225	350	22	400	7.0	450	772	M16	277	60	140	64.4	18	




01 039 01 01

RF107..




8

RM107..



(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1
AM100	180	15	215	5.0	250	605	M12	110	28	60	31.3	8
AM112	180	15	215	5.0	250	605	M12	110	28	60	31.3	8
AM132S/M	230	16	265	5.0	300	658	M12	163	38	80	41.3	10
AM132ML	230	16	265	5.0	300	658	M12	163	38	80	41.3	10
AM160	250	18	300	6.0	350	716	M16	221	42	110	45.3	12
AM180	250	18	300	6.0	350	716	M16	221	48	110	51.8	14
AM200	300	20	350	7.0	400	757	M16	262	55	110	59.3	16
AM225	350	22	400	7.0	450	772	M16	277	60	140	64.4	18







01 040 01 01


R137..

<=AM200

>=AM225



(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	D1	L1	T1	U1	
AM132S/M	230	16	265	5.0	300	745	M12	156	38	80	41.3	10	
AM132ML	230	16	265	5.0	300	745	M12	156	38	80	41.3	10	
AM160	250	18	300	6.0	350	803	M16	214	42	110	45.3	12	
AM180	250	18	300	6.0	350	803	M16	214	48	110	51.8	14	
AM200	300	20	350	7.0	400	844	M16	255	55	110	59.3	16	
AM225	350	22	400	7.0	450	859	M16	270	60	140	64.4	18	








01 042 01 01


R147..

<=AM200

>=AM225




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	Z12	D1	L1	T1	U1
AM132ML	230	16	265	5.0	300	843	M12	148	0	38	80	41.3	10
AM160	250	18	300	6.0	350	901	M16	206	0	42	110	45.3	12
AM180	250	18	300	6.0	350	901	M16	206	0	48	110	51.8	14
AM200	300	20	350	7.0	400	942	M16	247	0	55	110	59.3	16
AM225	350	22	400	7.0	450	957	M16	262	0	60	140	64.4	18
AM250	450	25	500	7.0	550	1031	M16	336	19	65	140	69.4	18
AM280	450	25	500	7.0	550	1031	M16	336	19	75	140	79.9	20




01 043 01 01

RF147..




8

RM147..



(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	Z12	D1	L1	T1	U1
AM132ML	230	16	265	5.0	300	843	M12	148	0	38	80	41.3	10
AM160	250	18	300	6.0	350	901	M16	206	0	42	110	45.3	12
AM180	250	18	300	6.0	350	901	M16	206	0	48	110	51.8	14
AM200	300	20	350	7.0	400	942	M16	247	0	55	110	59.3	16
AM225	350	22	400	7.0	450	957	M16	262	0	60	140	64.4	18
AM250	450	25	500	7.0	550	1031	M16	336	19	65	140	69.4	18
AM280	450	25	500	7.0	550	1031	M16	336	19	75	140	79.9	20








01 044 01 01


R167..

<=AM200

>=AM225




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	Z12	D1	L1	T1	U1
AM160	250	18	300	6.0	350	988	M16	198	0	42	110	45.3	12
AM180	250	18	300	6.0	350	988	M16	198	0	48	110	51.8	14
AM200	300	20	350	7.0	400	1029	M16	239	0	55	110	59.3	16
AM225	350	22	400	7.0	450	1044	M16	254	0	60	140	64.4	18
AM250	450	25	500	7.0	550	1118	M16	328	19	65	140	69.4	18
AM280	450	25	500	7.0	550	1118	M16	328	19	75	140	79.9	20




01 045 01 01

RF167..




8

RM167..




(→ 130)	B5	C5	E5	F5	G5	L	S5	Z5	Z12	D1	L1	T1	U1
AM160	250	18	300	6.0	350	988	M16	198	0	42	110	45.3	12
AM180	250	18	300	6.0	350	988	M16	198	0	48	110	51.8	14
AM200	300	20	350	7.0	400	1029	M16	239	0	55	110	59.3	16
AM225	350	22	400	7.0	450	1044	M16	254	0	60	140	64.4	18
AM250	450	25	500	7.0	550	1118	M16	328	19	65	140	69.4	18
AM280	450	25	500	7.0	550	1118	M16	328	19	75	140	79.9	20




8.5 R.. AM.. (NEMA) [mm]


01 047 02 01



		B5	C5	E5	F5	G2	G5	I2	L5	S5	Z5	Z12	D1	L1	T1	U1						
R..27 R..37	AM56	114.3	11	149.2	4.5	120	170	52.55	-4.8	10.5	93.5	16.5	15.875	47.75	18.1	4.76						
	AM143		12					54.1	3								117	14.5	22.225	57.15	24.7	
	AM145		12					54.1	3								110.5	14.5	22.225	57.15	24.7	
R..47 R..57 R..67	AM56	114.3	11	149.2	4.5	160	170	52.55	-4.8	10.5	87	16.5	15.875	47.75	18.1	4.76						
	AM143		12					54.1	3								110.5	14.5	22.225	57.15	24.7	
	AM145		12					54.1	3								110.5	14.5	22.225	57.15	24.7	
	AM182	215.9	10	184	5		228	66.85	3	15	147.5	16.5	28.575	69.85	31.7	6.35						
	AM184		11					79.55	6.3								200.5	15.8	34.925	85.85	38.7	7.94
AM213/215	11	79.55	6.3	200.5	15.8	34.925	85.85	38.7	7.94													
R..77	AM56	114.3	11	149.2	4.5	200	170	52.55	-4.8	10.5	81	16.5	15.875	47.75	18.1	4.76						
	AM143		12					54.1	3								103.5	14.5	22.225	57.15	24.7	
	AM145		12					54.1	3								103.5	14.5	22.225	57.15	24.7	
	AM182	215.9	10	184	5		228	66.85	3	15	139.5	16.5	28.575	69.85	31.7	6.35						
	AM184		11					79.55	6.3								188.5	15.8	34.925	85.85	38.7	7.94
	AM213/215		11					79.55	6.3								188.5	15.8	34.925	85.85	38.7	7.94
R..87	AM143	114.3	12	149.2	4.5	250	170	54.1	3	10.5	98.5	14.5	22.225	57.15	24.7	4.76						
	AM145		12					54.1	3								98.5	14.5	22.225	57.15	24.7	
	AM182	215.9	10	184	5		228	66.85	3	15	134.5	16.5	28.575	69.85	31.7	6.35						
	AM184		11					79.55	6.3								183.5	15.8	34.925	85.85	38.7	7.94
	AM213/215		11					79.55	6.3								183.5	15.8	34.925	85.85	38.7	7.94
	AM254/256	215.9	14	184	5		228	95.3	6.3	15	234	9	41.275	101.6	45.8	9.53						
	AM284/286		14					95.3	6.3								234	9	41.275	101.6	45.8	9.53
AM284/286	266.7	15	228.6	5	286	111.05	6.3	15	241	15.8	47.625	117.35	53.4	12.7								
R..97	AM182	215.9	10	184	5	300	228	66.85	3	15	129.5	16.5	28.575	69.85	31.7	6.35						
	AM184		11					79.55	6.3								178.5	15.8	34.925	85.85	38.7	7.94
	AM213/215		11					79.55	6.3								178.5	15.8	34.925	85.85	38.7	7.94
	AM254/256	215.9	12	184	5		228	95.3	6.3	15	229	9	41.275	101.6	45.8	9.53						
	AM284/286		12					95.3	6.3								229	9	41.275	101.6	45.8	9.53
	AM284/286	266.7	20	228.6	5		286	111.05	6.3	15	236	15.8	47.625	117.35	53.4	12.7						
	AM324/326	317.5	17	279.4	5		356	127.05	6	17.5	296	34.8	53.975	133.35	60	12.7						
AM364/365	127.05					6		17.5									296	34.8	53.975	133.35	60	12.7




01 048 02 01



8




		B5	C5	E5	F5	G2	G5	I2	L5	S5	Z5	Z12	D1	L1	T1	U1
R..107	AM182	215.9	10	184	5	350	228	66.85	3	15	123.5	16.5	28.575	69.85	31.7	6.35
	AM184		11					79.55	6.3		172.5	15.8	34.925	85.85	38.7	7.94
	AM213/215		12					95.3	6.3		223	9	41.275	101.6	45.8	9.53
	AM254/256	266.7	15	228.6	5		286	111.05	6.3	15	230	15.8	47.625	117.35	53.4	12.7
	AM324/326	317.5	17	279.4	5		356	127.05	6.3	17.5	290	34.8	53.975	133.35	60	12.7
	AM364/365							143.05				60.325	149.35	67.6	15.875	
R..137	AM213/215	215.9	11	184	5	400	228	79.55	6.3	15	165.5	15.8	34.925	85.85	38.7	7.94
	AM254/256		12					95.3	6.3		216	9	41.275	101.6	45.8	9.53
	AM284/286	266.7	15	228.6	5		286	111.05	6.3	15	223	15.8	47.625	117.35	53.4	12.7
	AM324/326	317.5	17	279.4	5		356	127.05	6.3	17.5	283	34.8	53.975	133.35	60	12.7
	AM364/365							143.05				60.325	149.35	67.6	15.875	
R..147	AM213/215	215.9	11	184	5	450	228	79.55	6.3	15	157.5	15.8	34.925	85.85	38.7	7.94
	AM254/256		12					95.3	6.3		208	9	41.275	101.6	45.8	9.53
	AM284/286	266.7	15	228.6	5		286	111.05	6.3	15	215	15.8	47.625	117.35	53.4	12.7
	AM324/326	317.5	17	279.4	5		356	127.05	6.3	17.5	275	34.8	53.975	133.35	60	12.7
	AM364/365							143.05				60.325	149.35	67.6	15.875	
R..167	AM254/256	215.9	12	184	5	550	228	95.3	6.3	15	200	9	41.275	101.6	45.8	9.53
	AM284/286	266.7	15	228.6	5		286	111.05	6.3	15	207	15.8	47.625	117.35	53.4	12.7
	AM324/326	317.5	17	279.4	5		356	127.05	6.3	17.5	267	34.8	53.975	133.35	60	12.7
	AM364/365							143.05					60.325	149.35	67.6	15.875



R..
R.. AR.. [mm]




8.6 R.. AR.. [mm]

R.. AR..




01 052 02 01

R.. AR../W






		B5	C5	E5	F5	G2	G5	S5	W6	Z5	Z9	Z12	D1	L1	T1	U1			
R..27 R..37	AR71	110	10	130	3.5	120	160	M8	120	104	37	0	14	30	16.3	5			
	AR80	130	12	165	4.5		200	M10		140.5			19	40	21.8	6			
	AR90						24	50		27.3			8						
R..47 R..57 R..67	AR71	110	10	130	3.5	160	160	M8	120	97.5	37	0	14	30	16.3	5			
	AR80	130	12	165	4.5		200	M10		134			19	40	21.8	6			
	AR90						24	50		27.3			8						
	AR100	180	15	215	5		250	M12		130			174.5	52	5.5	28	60	31.3	8
	AR112						28	60		31.3			8						
R..77	AR71	110	10	130	3.5	200	160	M8	120	91.5	37	0	14	30	16.3	5			
	AR80	130	12	165	4.5		200	M10		127			19	40	21.8	6			
	AR90						24	50		27.3			8						
	AR100	180	15	215	5		250	M12		130			166.5	52	5.5	28	60	31.3	8
	AR112						28	60		31.3			8						
	AR132S/M	230	16	265	5		300	M12		145			234	72	5	38	80	41.3	10
AR132ML	38					80	41.3	10											
R..87	AR80	130	12	165	4.5	250	200	M10	120	122	37	0	19	40	21.8	6			
	AR90						24	50	27.3	8									
	AR100	180	15	215	5		250	M12	130	161.5	52	5.5	28	60	31.3	8			
	AR112						28	60	31.3	8									
	AR132S/M	230	16	265	5		300	M12	145	229	72	5	38	80	41.3	10			
	AR132ML						38	80	41.3	10									
	AR160	250	18	300	6		350	M16	165	306.5	105	35	42	110	45.3	12			
AR180	48					110	51.8	14											






R.. AR..


01 053 02 01



R.. AR../W




		B5	C5	E5	F5	G2	G5	S5	W6	Z5	Z9	Z12	D1	L1	T1	U1
R..97	AR100	180	15	215	5	300	250	M12	130	156.5	52	5.5	28	60	31.3	8
	AR112															
	AR132S/M	230	16	265	5		300	M12	145	224	72	5	38	80	41.3	10
	AR132ML															
	AR160															
AR180	250	18	300	6	350	M16	165	301.5	105	35	42	110	45.3	12		
													48	110	51.8	14
R..107	AR100	180	15	215	5	350	250	M12	130	150.5	52	5.5	28	60	31.3	8
	AR112															
	AR132S/M	230	16	265	5		300	M12	145	218	72	5	38	80	41.3	10
	AR132ML															
	AR160															
AR180	250	18	300	6	350	M16	165	295.5	105	35	42	110	45.3	12		
													48	110	51.8	14
R..137	AR132S/M	230	16	265	5	400	300	M12	145	211	72	5	38	80	41.3	10
	AR132ML															
	AR160	250	18	300	6		350	M16	165	288.5	105	35	42	110	45.3	12
	AR180															
													48	110	51.8	14
R..147	AR132S/M	230	16	265	5	450	300	M12	145	203	72	5	38	80	41.3	10
	AR132ML															
	AR160	250	18	300	6		350	M16	165	280.5	105	35	42	110	45.3	12
	AR180															
													48	110	51.8	14
R..167	AR160	250	18	300	6	550	350	M16	165	272.5	105	35	42	110	45.3	12
	AR180															
													48	110	51.8	14




R..
R.. AT.. [mm]

8.7 R.. AT.. [mm]


25 001 02 01





			AC	AD	G6	G10	LB	Z4	Z5	G2		
R..67	AT311 AT312	DR.71S	139	119	200	280	198	97	286	160		
		DR.71M					223					
		DR.80S	156	128			241					
		DR.80M					272					
		DR.90M	179	140			266					
		DR.90L					286					
		DR.100M	197	157			316					
		DR.100L/LC					346					
	AT321 AT322	DR.90M	179	140	250	350	266	97	333			
		DR.90L					286					
		DR.100M	197	157			316					
		DR.100L/LC					346					
	R..77	AT311 AT312	DR.71S	139	119	200	280	198	89		278	200
			DR.71M					223				
DR.80S			156	128	241							
DR.80M					272							
DR.90M			179	140	266							
DR.90L					286							
DR.100M			197	157	316							
DR.100L/LC					346							
AT421 AT422		DR.90M	179	140	250	350	266	133	368			
		DR.90L					286					
		DR.100M	197	157			316					
		DR.100L/LC					346					
		DR.112M	221	170			352					
		DR.132S					387					
		DR.132M/MC					437					




25 002 02 01



			AC	AD	G6	G10	LB	Z4	Z5	G2
R..87	AT311 AT312	DR.80M	156	128	200	280	272	84	273	250
		DR.90M	179	140			266			
		DR.90L					286			
		DR.100M	197	157			316			
		DR.100L/LC					346			
	AT421 AT422	DR.90M	179	140	250	350	266	128	363	
		DR.90L					286			
		DR.100M	197	157			316			
		DR.100L/LC					346			
		DR.112M	221	170			352			
		DR.132S					387			
	DR.132M/MC	437								
	AT522 AT541 AT542	DR.132S	221	170	350	470	363	159	478	
		DR.132M/MC					413			
		DR.160S/M/MC	270	228			460			
DR.180S/M		316	253	523						
DR.180L				583						
R..97	AT311 AT312	DR.80M	156	128	200	280	272	79	268	300
		DR.90M	179	140			266			
		DR.90L					286			
		DR.100M	197	157			316			
		DR.100L/LC					346			
	AT421 AT422	DR.90M	179	140	250	350	266	123	358	
		DR.90L					286			
		DR.100M	197	157			316			
		DR.100L/LC					346			
		DR.112M	221	170			352			
		DR.132S					387			
	DR.132M/MC	437								
	AT522 AT541 AT542	DR.132S	221	170	350	470	363	154	473	
		DR.132M/MC					413			
		DR.160S/M/MC	270	228			460			
DR.180S/M		316	253	523						
DR.180L				583						




			AC	AD	G6	G10	LB	Z4	Z5	G2
R..107	AT311 AT312	DR.100M	197	157	200	280	316	73	262	350
		DR.100L/LC					346			
	AT421 AT422	DR.90L	179	140	250	350	286	117	352	
			DR.100M				197			
		DR.100L/LC	221	170			346			
		DR.112M					352			
		DR.132S	387							
		DR.132M/MC	437							
	AT522 AT541 AT542	DR.132S	221	170	350	470	363	148	467	
		DR.132M/MC					413			
		DR.160S/M/MC	270	228			460			
		DR.180S/M	316	253			523			
DR.180L		583								
R..137	AT421 AT422	DR.90L	179	140	250	350	286	110	345	
		DR.100M					197			157
		DR.100L/LC	221	170			346			
		DR.112M					352			
		DR.132S	387							
		DR.132M/MC	437							
	AT522 AT541 AT542	DR.132S	221	170	350	470	363	141	460	
		DR.132M/MC					413			
		DR.160S/M/MC	270	228			460			
		DR.180S/M	316	253			523			
DR.180L	583									
R..147	AT421 AT422	DR.132M/MC	221	170	250	350	437	102	337	450
	AT522 AT541 AT542	DR.132M/MC	221	170	350	470	413	133	452	
		DR.160S/M/MC	270	228			460			
		DR.180S/M	316	253			523			
		DR.180L					583			
R..167	AT522 AT541 AT542	DR.160M/MC	270	228	350	470	460	125	444	550
		DR.180S/M	316	253			523			
		DR.180L					583			




8.8 R.. AT../BMG [mm]

25 005 02 01




8


			AC	AD	ADS	G6	G10	LB	K3	P2	X	X1	Y	Z4	Z5	G2									
R..67	AT311/BMG AT312/BMG	DR.71S	139	119	184	200	282	198	153	84	97	89	127	223	411	160									
		DR.71M						223																	
		DR.80S	156	128				241																	
		DR.80M						272																	
		DR.90M	179	140				266																	
		DR.90L						286																	
		DR.100M	197	157				316																	
		DR.100L/LC						346																	
	AT321/BMG AT322/BMG	DR.90M	179	140	215	250	352	266																	
		DR.90L						286																	
		DR.100M	197	157				316																	
		DR.100L/LC						346																	
	R..77	AT311/BMG AT312/BMG	DR.71S	139	119	184	200	282									198	145	84	97	81	127	215	403	200
			DR.71M														223								
DR.80S			156	128	241																				
DR.80M					272																				
DR.90M			179	140	266																				
DR.90L					286																				
DR.100M			197	157	316																				
DR.100L/LC					346																				
AT421/BMG AT422/BMG		DR.90M	179	140	215	250	352	266																	
		DR.90L						286																	
		DR.100M	197	157				316																	
		DR.100L/LC						346																	
		DR.112M	221	170				352																	
		DR.132S						387																	
DR.132M/MC	437																								




25 006 02 01



			AC	AD	ADS	G6	G10	LB	K3	P2	X	X1	Y	Z4	Z5	G2	
R..87	AT311/BMG AT312/BMG	DR.80M	156	128	184	200	282	272	140	84	97	76	127	210	398		
		DR.90M	179	140				266									
		DR.90L	179	140				286									
		DR.100M	197	157				316									
		DR.100L/LC	197	157				346									
	AT421/BMG AT422/BMG	DR.90M	179	140	215	250	352	266	178	84	97	114	127	247	483		250
		DR.90L	179	140				286									
		DR.100M	197	157				316									
		DR.100L/LC	197	157				346									
		DR.112M	221	170				352									
	AT522/BM AT541/BM AT542/BM	DR.132S	221	170	275	350	472	387	244	84	97	148	127	331	650		
		DR.132M/MC	221	170				437									
		DR.160S/M/MC	270	228				460									
		DR.180S/M	316	253				523									
		DR.180L	316	253				583									
R..97	AT311/BMG AT312/BMG	DR.80M	156	128	184	200	282	272	135	84	97	71	127	205	393		
		DR.90M	179	140				266									
		DR.90L	179	140				286									
		DR.100M	197	157				316									
		DR.100L/LC	197	157				346									
	AT421/BMG AT422/BMG	DR.90M	179	140	215	250	352	266	173	84	97	109	127	242	478		300
		DR.90L	179	140				286									
		DR.100M	197	157				316									
		DR.100L/LC	197	157				346									
		DR.112M	221	170				352									
	AT522/BM AT541/BM AT542/BM	DR.132S	221	170	275	350	472	387	239	84	97	143	127	326	645		
		DR.132M/MC	221	170				437									
		DR.160S/M/MC	270	228				460									
		DR.180S/M	316	253				523									
		DR.180L	316	253				583									










25 007 02 01




			AC	AD	ADS	G6	G10	LB	K3	P2	X	X1	Y	Z4	Z5	G2									
R..107	AT311/BMG	DR.100M	197	157	184	200	282	316	129	84	97	65	127	199	387	350									
	AT312/BMG	DR.100L/LC						346																	
	AT421/BMG	AT422/BMG	DR.90L	179	140	215	250	352	286	167	84	97	103	127	236		472								
			DR.100M	197	157				316																
			DR.100L/LC						346																
			DR.112M						352																
			DR.132S	221	170				387																
	AT522/BMp	AT541/BMp	AT542/BM	DR.132M/MC				437	233	84	97	137	127	320	639										
				DR.132S	221	170	363																		
				DR.132M/MC			413																		
				DR.160S/M/MC	270	228	460																		
	R..137	AT421/BMG	AT422/BMG	DR.180S/M	316	253	275	350	472	523	226	84	97	130	127		313	632							
DR.180L						583																			
DR.90L				179	140	215				250						352			160	84	97	96	127	229	465
DR.100M				197	157																				
DR.100L/LC						346																			
DR.112M			352																						
R..147	AT421/BMG	AT422/BMG	DR.132S	221	170	275	350	472	387	218	84	97	122	127	305	624									
			DR.132M/MC						437																
			DR.132S	221	170				363																
			DR.132M/MC						413																
			DR.160S/M/MC	270	228				460																
R..167	AT522/BM	AT541/BM	AT542/BM	DR.180S/M	316	253	275	350	472	210	84	97	114	127	297	616									
				DR.180L													583								
				DR.132M/MC	221	170											413								
				DR.160S/M/MC	270	228											460								


8


8.9 R.. AD.. [mm]
R.. AD..

01 054 01 01
R.. AD../ZR



		B2	C1	E1	F2	G2	K2	L5	M2	S1	S2	D1	L1	L13	L14	T1	U1
R..27	AD1	-	-	-	-	120	102	-	-	-	-	16	40	4	32	18	5
R..37	AD2, AD2/ZR	55	13.5	80	8		130	12	50	9	M8	19	40	4	32	21.5	6
R..47	AD2, AD2/ZR	55	13.5	80	8	160	123	12	50	9	M8	19	40	4	32	21.5	6
R..57	AD3, AD3/ZR	70	15.5	105	8		159	16	60	11	M10	24	50	5	40	27	8
R..77	AD2, AD2/ZR	55	13.5	80	8	200	116	12	50	9	M8	19	40	4	32	21.5	6
	AD3, AD3/ZR	70	15.5	105	8		151	16	60	11	M10	24	50	5	40	27	8
	AD4, AD4/ZR	100	16	130	13		224	20	95.5	13.5	M12	38	80	5	70	41	10
R..87	AD2, AD2/ZR	55	13.5	80	8	250	111	12	50	9	M8	19	40	4	32	21.5	6
	AD3, AD3/ZR	70	15.5	105	8		156	16	70	11	M10	28	60	5	50	31	8
	AD4, AD4/ZR	100	16	130	13		219	20	95.5	13.5	M12	38	80	5	70	41	10
	AD5, AD5/ZR	120	24	180	11		292	20	126	13.5	M12	42	110	10	70	45	12
R..97	AD3, AD3/ZR	70	15.5	105	8	300	151	16	70	11	M10	28	60	5	50	31	8
	AD4, AD4/ZR	100	16	130	13		214	20	95.5	13.5	M12	38	80	5	70	41	10
	AD5, AD5/ZR	120	24	180	11		287	20	126	13.5	M12	42	110	10	70	45	12
	AD6, AD6/ZR	130	22.5	200	11		327	26	130.5	17.5	M16	48	110	10	80	51.5	14
R..107	AD3, AD3/ZR	70	15.5	105	8	350	145	16	70	11	M10	28	60	5	50	31	8
	AD4, AD4/ZR	100	16	130	13		208	20	95.5	13.5	M12	38	80	5	70	41	10
	AD5, AD5/ZR	120	24	180	11		281	20	126	13.5	M12	42	110	10	70	45	12
	AD6, AD6/ZR	130	22.5	200	11		321	26	130.5	17.5	M16	48	110	10	80	51.5	14
R..137	AD4, AD4/ZR	100	16	130	13	400	201	20	95.5	13.5	M12	38	80	5	70	41	10
	AD5, AD5/ZR	120	24	180	11		274	20	126	13.5	M12	42	110	10	70	45	12
	AD6, AD6/ZR	130	22.5	200	11		314	26	130.5	17.5	M16	48	110	10	80	51.5	14
	AD7, AD7/ZR	125	19	190	13		308	30	133	22	M20	55	110	10	90	59	16
R..147	AD4, AD4/ZR	100	16	130	13	450	193	20	95.5	13.5	M12	38	80	5	70	41	10
	AD5, AD5/ZR	120	24	180	11		266	20	126	13.5	M12	42	110	10	70	45	12
	AD6, AD6/ZR	130	22.5	200	11		306	26	130.5	17.5	M16	48	110	10	80	51.5	14
	AD7, AD7/ZR	125	19	190	13		300	30	133	22	M20	55	110	10	90	59	16
	AD8, AD8/ZR	120	22.5	210	5		383	19.5	155	13.5	M12	70	140	15	110	74.5	20
R..167	AD5, AD5/ZR	120	24	180	11	550	258	20	126	13.5	M12	42	110	10	70	45	12
	AD6, AD6/ZR	130	22.5	200	11		298	26	130.5	17.5	M16	48	110	10	80	51.5	14
	AD7, AD7/ZR	125	19	190	13		292	30	133	22	M20	55	110	10	90	59	16
	AD8, AD8/ZR	120	22.5	210	5		374	19.5	155	13.5	M12	70	140	15	110	74.5	20




8.10 R.. AD../P [mm]




		E2	F2	G2	H6	H7 min	H7 max	H11 min	H11 max	K2	Q4	D1	L1	L13	L14	T1	U1	129
RX..57	AD2/P	195	180	160	65	110	165	115	165	123	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	110	175	120	175	159	54	24	50	5	40	27	8	1), 2)
RX..67	AD2/P	195	180	160	65	110	165	125	165	123	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	110	175	130	175	159	54	24	50	5	40	27	8	1)
RX..77	AD2/P	195	180	200	65	130	165	140	200	116	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	135	175	145	175	151	54	24	50	5	40	27	8	
	AD4/P	345	291		118	145	210	160	210	224	83	38	80	5	70	41	10	1), 2)
RX..87	AD2/P	195	180	250	65	160	200	170	200	111	43	19	40	4	32	21.5	6	
	AD3/P	230	240		90	165	230	175	230	156	64	28	60	5	50	31	8	
	AD4/P	345	291		118	170	210	195	280	219	83	38	80	5	70	41	10	
	AD5/P	430	355		153	175	250	200	250	292	113	42	110	10	70	45	12	1), 2)
RX..97	AD3/P	230	240	300	90	185	230	205	320	151	64	28	60	5	50	31	8	
	AD4/P	345	291		118	195	280	220	280	214	83	38	80	5	70	41	10	
	AD5/P	430	355		153	195	250	225	325	287	113	42	110	10	70	45	12	
RX..107	AD3/P	230	240	350	90	210	320	225	320	145	64	28	60	5	50	31	8	
	AD4/P	345	291		118	220	280	270	360	208	83	38	80	5	70	41	10	
	AD5/P	430	355		153	220	325	275	325	281	113	42	110	10	70	45	12	
	AD6/P	495	457		163	245	310	250	310	321	114	48	110	10	80	51.5	14	



R..
R.. AD../P [mm]



		E2	F2	G2	H6	H7 min	H7 max	H11 min	H11 max	K2	Q4	D1	L1	L13	L14	T1	U1	⚠ →129
R..27	AD2/P	195	180	120	65	100	165	120	165	130	43	19	40	4	32	21.5	6	1), 2)
R..37	AD2/P	195	180	120	65	110	165	120	165	130	43	19	40	4	32	21.5	6	1), 2)
R..47	AD2/P	195	180	160	65	125	165	135	165	123	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	130	175	140	175	159	54	24	50	5	40	27	8	1), 2)
R..57	AD2/P	195	180	160	65	125	165	145	200	123	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	130	175	155	230	159	54	24	50	5	40	27	8	1), 2)
R..67	AD2/P	195	180	160	65	125	165	155	200	123	43	19	40	4	32	21.5	6	
	AD3/P	230	240		80	130	175	160	230	159	54	24	50	5	40	27	8	1), 2)
R..77	AD2/P	195	180	200	65	135	200	165	200	116	43	19	40	4	32	21.5	6	1)
	AD3/P	230	240		80	145	175	170	230	151	54	24	50	5	40	27	8	
	AD4/P	345	291		118	150	210	175	210	224	83	38	80	5	70	41	10	1), 2)
R..87	AD2/P	195	180	250	65	155	200	195	260	111	43	19	40	4	32	21.5	6	
	AD3/P	230	240		90	165	230	185	230	156	64	28	60	5	50	31	8	
	AD4/P	345	291		118	165	210	205	280	219	83	38	80	5	70	41	10	
	AD5/P	430	355		153	210	250	215	250	292	113	42	110	10	70	45	12	1), 2)
R..97	AD3/P	230	240	300	90	180	230	235	320	151	64	28	60	5	50	31	8	
	AD4/P	345	291		118	190	280	240	280	214	83	38	80	5	70	41	10	
	AD5/P	430	355		153	190	250	245	325	287	113	42	110	10	70	45	12	
R..107	AD3/P	230	240	350	90	230	320	230	320	145	64	28	60	5	50	31	8	
	AD4/P	345	291		118	230	280	265	360	208	83	38	80	5	70	41	10	
	AD5/P	430	355		153	225	325	270	325	281	113	42	110	10	70	45	12	1)
	AD6/P	495	457		163	245	310	250	310	321	114	48	110	10	80	51.5	14	
R..137	AD4/P	345	291	400	118	245	280	280	360	201	83	38	80	5	70	41	10	
	AD5/P	430	355		153	245	325	285	325	274	113	42	110	10	70	45	12	1)
	AD6/P	495	457		163	270	335	275	335	314	114	48	110	10	80	51.5	14	
R..147	AD4/P	345	291	450	118	270	360	315	360	193	83	38	80	5	70	41	10	
	AD5/P	430	355		153	275	325	330	405	266	113	42	110	10	70	45	12	
	AD6/P	495	457		163	295	360	310	360	306	114	48	110	10	80	51.5	14	
	AD7/P	650	570		170	300	365	300	365	300	112	55	110	10	90	59	16	3)
R..167	AD5/P	430	355	550	153	345	405	385	495	258	113	42	110	10	70	45	12	
	AD6/P	495	457		163	375	475	375	475	298	114	48	110	10	80	51.5	14	
	AD7/P	650	570		170	375	475	380	475	292	112	55	110	10	90	59	16	



Page remains empty for printing reasons.